# RAPID ALUMINIUM

# PRODUCT & SYSTEMS CATALOGUE



**JULY 2022** 



RAPID ALUMINUM

The experts in aluminium profiles & extrusions Industry preferred aluminium supplier for both quality and service.

MELBOURNE (Head Office) 27 Nathan Road Dandenong VIC 3175

PH: (03) 9792 0344 FAX: (03) 9792 4954

Email: sales@rapidal.com.au



#### **POWDERCOATING - MINIMUM INVOICE**

ALL Powdercoat orders with a total order value under \$1,000+gst will incur a min surcharge fee. This fee will be at the discretion of Rapid Aluminium based on the availability and price of the powder required to complete the order. For further pricing information contact the sales team.

20 year powder coating warranty now available



#### **ANODISED & MILL FINISH MATERIAL**

ALL Anodised and Mill Finish orders placed with Rapid Aluminium for PICKUP must be ordered with at least 24hrs of notice prior to pick up required.

#### **CUTTING SERVICE**

A fee of \$6.50+gst per cut applies. Please advise us via email if this service is required prior to pick up of goods/order. (Phone instructions will not be accepted) The cutting service is ONLY for "docking" the material and is NOT millimetre perfect. This service will not be provided after the order transaction is complete.

#### **CONDITIONS OF SALE**

All goods sold by Rapid Aluminium to the purchaser shall remain the absolute property of Rapid Aluminium and no right, title or transfer of interest of any kind shall transfer to the purchaser until payment in full is made to Rapid Aluminium in respect of the goods. (PRICES ARE SUBJECT TO CHANCE WITHOUT PRIOR NOTICE)

If it becomes necessary to institute legal proceedings to recover unpaid debts to Rapid Aluminium, all discounts showing on unpaid invoices become null and void and the total list price becomes payable. Full Terms and Conditions of Sale appear on the reverse of all invoices (see over).

#### **RETURNS / CREDIT CLAIMS**

- Goods being returned will not be accepted without prior approval from management at Rapid Aluminium.
- Invoice number, PO number and date are required on all claims.
- Freight costs on returned goods must be paid by the sender.
- All claims for loss, damage, shortages or price differences must be made within 7 days after invoice.
- Custom made or specially ordered goods are NON-RETURNABLE and NON-REFUNDABLE.

#### **DELIVERY SERVICE**

A delivery service is available – please enquire on the cost when placing your order.



#### **MANUFACTURING & ESTIMATING SOFTWARE SUPPORT**

We are proud to announce that the RAPID ALUMINIUM PROFILES are now supported by LOGIKAL by ORGADATA. We are excited to show you what it can do and how it can help improve your business in more ways than you think. LOGIKAL is the best software for windows, doors & curtain wall systems in the market today.

It is the software solution you have been waiting for... Estimating projects made easy, with a user-friendly layout and an intuitive user interface that will surely be welcomed by learners regardless of age and background. It's going to be easy and quick to Quote, Order, Produce and create Shop drawings with LOGIKAL.



#### **KEY BENEFITS & FEATURES**

- Estimating Quote with ease and present pricing to your client with your very own personalised Quote report.
- Fabrication reports Produce professional detailed and accurate information for assembling and cutting with a simple click of a button. All reports are customizable to your own needs & requirements.
- CNC connection (coming soon) Pre-program and customize CNC data communicated directly to your CNC machinery,
   improving efficiency, saving you time & money not to mention avoiding costly errors.
- Structural Analysis You get to define profiles to be used in different scenarios and see how design changes affect your Elevation
  in real-time.
- Shop Drawing Gives you the ability to produce detailed cross-sectional Shop drawings automatically generated from your selected items.
- Measure on site with App Bring your project to your phone or tablet, change sizes and send the information back to LogiKal.
   Project changes are automatically updated in real-time.




For more information send an email to info@orgadata.com.au or contact your support team at RAPID ALUMINIUM





#### **ALL NEW SLIDING WINDOW**

#### ALL NEW SEMI-COMMERCIAL SLIDING DOOOR




- NEW & IMPROVED commercial apartment sliding door
- ALL NEW Semi-commercial sliding door
- > 76x35 double glazed centre glazed (ALL NEW SYSTEM)
- Commercial sliding window (to suit 101.6 & 76mm frame)
- > New bi-fold system in single & double glazed soon to be released
- Boxed flyscreen adapters
- > All new fixing reveal adapters
- > 50mm glazing pocket double glazed centre glazed 750 series 101.6x50

And many more new sections inside the catalogue......






























































	INSE	RTIONS - 90	00 DOOR SE	ERIES SING	LE GLAZE	44mm	
PAGE							PAGE
103	CF907 SG Plain Stile	CF908 SG Sliding Stile	CF909 SG Hinge Stile	CF910 SG Lock Stile	CF911 SG Meeting Stile	CF912 SG Pivot Stile	103
104	CF001 SG Wide Sliding Stile	CF002 SG Wide Hinge Stile	CF003 SG Wide Lock Stile	CF004 SG Wide Pivot Stile	CF005 SG Wide Plain Stile		104
105	CF411 SG Top Rail	CF412 SG Bottom Rail	CF413 SG 123mm Mid Rail	CF414 SG Rail Bead	CF426 SG 45mm Rail		105
INSERTIONS - 900 DOOR SERIES DOUBLE GLAZED 44mm							
106	CF917 DG Plain Stile	CF918 DG Sliding Stile	CF919 DG Hinge Stile	CF920 DG Lock Stile	CF921 DG Meeting Stile	CF922 DG Pivot Stile	106
107	CF021 DG Sliding Stile	CF022 DG Hinge Stile	CF023 DG Lock Stile	CF024 DG Pivot Stile	CF025 DG Plain Stile		107
108	CF931 DG Top Rail	CF932 DG Bottom Rail	CF933 DG 100mm Mid Rail	SF061 DG Door Bead			108
DOOR & GLAZING CHANNELS MIISCELLANEOUS							
110	CF421 Sliding Door Track Insert	CF422 Door Floor Guide Slide		F429 CF441 n Door Stop Sliding Interlock		CF447 Guide/Receiver Cover	110
111	CF445 Plant on Single Track		CF	CF44 114mm Overhea	CF454 Overhead Track Pelmet	End Cap CFH453EC	111
113	CF015 2 Piece Channel Base 2	CF016 Piece Channel Bead	CFU1/	018 CF417 2 Piece Channel			113








#### **76mm Commercial Sliding Window**

### **101.6mm Commercial Sliding Window**










#### **HEADS, SILL TRACKS & RECEIVER**



#### RSW401 - 101.6mm Window Head

(Accepts: BW404, BW444, CF405, CF470, CF704, CF704L, ALL 4"

Fixing Adaptors & Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




(Accepts: ALL 4" Frame Sills)

(Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated



30.5


#### RSW403 - 101.6mm Closed Sill

(Accepts: BW404, BW444, CF405, CF470, CF704, CF704L, ALL 4"

Fixing Adaptors & Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




#### RSW404 - 101.6mm Double Receiver Channel

(Accepts: CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### RSW301 - 76mm Window Head

(Accepts: CF304, CF305, CF351, DG314)

(Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




#### RSW302 - 76mm Window Sill

(Accepts: CF304, CF305, CF351, DG314)

(Accepts: CFH81)

Length Offered Finishes

#### **JAMBS, INFILLS & FLYSCREEN ADDITIONS**





(Jamb to be used with RSW404 & CF406

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### CF450 - 33mm Std Main Frame (101.6 x 33)

(Accepts: CF405, CF406, CF470, RAD131)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF301 - 76mm Frame (76mm Jamb Option)

(Jamb to be used with RSW404 & CF306)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



70.4

#### **RSW420 - Fly Screen Adaptor**

(Accepts: RSW301, RSW302 RSW401, RSW402, RSW403, RSW404)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### RSW421 - Flat Filler

(Accepts: RSW301, RSW302 RSW401, RSW402, RSW403, RSW404)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### **RSW422 - Fly Screen Adaptor**

(Face fix to RSW421)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### **RSW423 - Clip In Receiver**

(Clips into BW400 series pockets & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RA200 FLYSCREEN




CFH30 CRNR STAKE




#### SINGLE GLAZE STILES & RAILS TO SUIT 6mm - 12.76mm GLASS








က

5









#### RSW408 - SG Lock Stile (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Offered Finishes Length

5.4mtr Mill / Natural Anodised / Powdercoated

#### RSW410 - SG Standard Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW412 - SG Boxed Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW406 - SG Rail (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

#### RSW418 - SG Male Meeting Stile (16mm Pocket)

(Accepts: CFH96, 6mm to 12.76mm Glass)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW414 - SG Female Meeting Stile (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW416 - SG Med Boxed Female Meeting Stile**


(Accepts: CFH80, 6mm to 12.76mm Glass)


Offered Finishes Length


Mill / Natural Anodised / Powdercoated 5.4mtr


#### **DOUBLE GLAZE STILES & RAILS TO SUIT 20mm IGU'S**


# 60.8











6

#### RSW409 - DG Lock Stile

(Accepts: 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW411 - DG Standard Interlock

(Accepts: CFH80 & 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW413 - DG Boxed Interlock**

(Accepts: CFH80 & 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW407 - DG Rail

(Accepts: 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

#### **RSW419 - DG Male Meeting Stile**

(Accepts: CFH96, 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW415 - DG Female Meeting Stile**

(Accepts: CFH80, 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW417 - DG Med Boxed Female Meeting Stile**


(Accepts: CFH80, 20mm IGU)

Offered Finishes Length


Mill / Natural Anodised / Powdercoated 5.4mtr

#### **HARDWARE ITEMS (RUBBERS)**


#### CFH90 - 6mm-6.76mm Glazing Channel








Length	Colour
100mtr	Black




#### CFH92 - 10mm-10.76mm Glazing Channel

Length	Colour
100mtr	Black



#### CFH93 - 12mm-12.76mm Glazing Channel

Length	Colour
100mtr	Black



#### **CFH94 - 20mm Glazing Channel**

Length	Colour
80mtr	Black



#### **CFH95 - Drain Flap**

Length	Colour
300mtr	Black





Length	Colour
300mtr	Black

#### **HARDWARE ITEMS (MOHAIR & ACCESSORIES)**

#### CFH80 - 6.7 x 4.25 x 4.25 Finseal




Length	Colour
450mtr	Black

#### CFH81 - 6.7 x 5.5 x 5.75 Finseal



Length	Colour
400mtr	Black

# CFH113 - Boxed Interlock End Cap (Top & Bottom)



QTY	Colour
10pr per bag	Black

#### CFH18 - 10mm Hole Plug




QTY	Colour
100 per bag	Black

#### **CFH115 - Drain Slot Plugs**




QTY	Colour
50pcs per bag	Black

## CFH110 - Fixed Panel Blocks (Left & Right)



QTY	Colour
20pr per bag	Black

## **CFH111 - Sliding Panel Face Blocks (Left & Right)**



QTY	Colour
20pr per bag	Black

#### **HARDWARE ITEMS & ACCESSORIES**

#### CFH38D - 80kg Double Wheel Roller

(2 per moving sash)

QTY

**EACH** 



(2 per moving sash)

QTY

**EACH** 

# **CFH40 - Fixed Panel Adjustment Block**

(2 per fixed sash)

QTY

**EACH** 

# **CFH97 - Sliding Window Lock (Keyed)**

(1 per door)

QTY


**EACH** 










#### 101.6mm Apartment Door




#### **150mm Apartment Door**











**OUR NEW 30.5mm LOW PROFILE SILL TRACK IS AVAILABLE IN BOTH 100mm & 150mm SYSTEMS.** 











# 

#### **HEAD & SILL TRACKS**

#### RAD401 - Head Track (Double)

(Accepts: BW404, BW444, CF405, CF470, RAD115 & ALL 4" Fixing

Reveals) (Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### RAD402 - Sill Track 50mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### RAD404 - Sill Track 30mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### RAD601 - Head Track (Triple)

(Accepts: RA265, RAD115)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### RAD602 - Sill Track 55mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### RAD604 - Sill Track 30mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **JAMBS**

#### BW400 - Standard Frame (101.6 x 44.4)

(Accepts: BW404, BW444, CF405, CF406, CF470, RAD131 & ALL 4" Fixing Reveal Adaptors)

Offered Finishes Length


Mill / Natural Anodised / Powdercoated 6.5mtr

#### CF450 - 33mm Std Frame (101.6 x 33)

(Accepts: CF405, CF406, CF470, RAD131)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated




### RAD603 - 150mm Plain Jamb (150 x 33)

(Accepts: RA265) To be used with RAD130

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr




## CF701 - STD Main Frame DG (101.6 x 44.4)

(Accepts: BW404, BW444, CF405, CF470, CF704, CF706 & ALL 4"

Fixing Reveal Adaptors) CF706 + RAD130 required

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr




#### RAD130 - Jamb Receiver

(To be face fixed to flat jambs)

(Accepts: CFH121)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




# **RAD131 - Clip in Jamb Receiver**

(To be used with BW400 & CF450)

(Accepts: CFH121)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



#### **SINGLE GLAZED STILES & RAIL (16mm POCKET)**


# RAD105 - SG 72mm Plain Stile

72

(Accepts: 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD106 - SG Std Interlock**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD107 - SG Medium Boxed Interlock**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD108 - SG HD Boxed Interlock**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD112 - SG 60mm Rail

(Accepts: 6mm-12.76mm Glass)

Length Offered Finishes

#### **DOUBLE GLAZED STILES & RAIL (30mm POCKET)**


# RAD120 - DG 72mm Plain Stile



(Accepts: 24mm-26mm IGU)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD121 - DG Std Interlock**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD122 - DG Medium Boxed Interlock**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD123 - DG HD Boxed Interlock**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD127 - DG 60mm Rail

(Accepts: 24mm-26mm IGU)

Length Offered Finishes

#### **BEADED RAIL AND CORNER STILES**



#### RAD113 - SG 60mm Beaded Rail

(Accepts: RAD114 Bead & 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD114 - SG Bead

(Accepts: RAD113 SG Rail)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RAD128 - DG 60mm Beaded Rail

(Accepts: RAD129 Bead & 24mm-26mm IGU)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD129 - DG Bead

(Accepts: RAD128 DG Rail)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD117 - 71mm SG Corner Stile

(Accepts: RAD110 Female Stile & 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RAD118 - 71mm DG Corner Stile

(Accepts: RAD125 Female Stile & 24mm-26mm Glass)

Length Offered Finishes

#### MALE & FEMALE STILES SG & DG (BI-PARTING)

# 72 90 88

#### RAD109 - SG 72mm Male Stile

(6mm-12.76mm Glass) (Accepts: CFH96)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD110 - SG Female Stile**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD111 - SG H/D Boxed Female Stile

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD124 - DG 72mm Male Stile

(Accepts: 24mm-26mm IGU)

(Accepts: CFH96)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD125 - DG Female Stile**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RAD126 - DG H/D Boxed Female Stile

(Accepts: 24mm-26mm IGU)


(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **FLAT FILLERS, THRESHOLDS & ADAPTORS**


#### **RAD115 - Flat Filler (Head Track)**



Accepts: RAD130, RAD131, RAD401, RAD601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD116 - Threshold**

(Accepts: RAD402, RAD404, RAD602, RAD604)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA131 - OXO Adaptor

(To be used with F/S/F doors)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated




#### CF406 - Pocket Filler

(To be used with BW400 & CF450)

Length Offered Finishes



#### **SUBHEADS & SUB JAMBS**



#### CF437 - Standard Subhead (110mm x 49mm)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### CF458 - 2 Piece Subhead (115mm x 50mm)

(Accepts: CF457)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF457 - 2 Piece Subhead Cover (Pressure Bead)

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF477 - Heavy Duty Subhead (113mm x 40mm)

(Accepts: 101.6mm Frames) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF658 - 150mm Subhead 2 Piece

(Accepts: CF457) Suits 150mm Frame


(Accepts: CFH5 Mullion Seal)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

# **HARDWARE ITEMS (GLAZING CHANNEL)**

#### CFH90 - 6mm-6.76mm Glazing Channel









CFH91 - 8mm-8.38mm	Glazing	Channel
--------------------	---------	---------

Length	Colour
100mtr	Black



#### CFH92 - 10mm-10.76mm Glazing Channel

Length	Colour
100mtr	Black



#### CFH93 - 12mm-12.76mm Glazing Channel

Length	Colour
100mtr	Black



#### CFH29 - 24mm-25mm Channel

Length	Colour
50mtr	Black



#### CFH124 - 26mm Channel

Length	Colour
50mtr	Black

#### **HARDWARE ITEMS (MOHAIR & ACCESSORIES)**

#### CFH121 - 6.9 x 6.5 FP Finseal



Length	Colour
350mtr	Black

#### CFH122 - 6.9 x 6.5 HI Finseal




Length	Colour
250mtr	Black

#### CFH96 - Male/Female Bulb Seal



QTY	Colour
200mtr	Black

#### **CFH119 - Med Box End Cap (Med Interlock)**




(Top & Bottom = 1pr)

QTY Colour

10pr per bag Black

# **CFH120 - Large Box End Cap (Large interlock)**



(Top & Bottom = 1pr)

QTY Colour

10pr per bag Black

#### CFH18 - 10mm Hole Plug



QTY	Colour
100 per bag	Black

#### **CFH115 - Drain Slot Plug**



QTY	Colour
50 per bag	Black


#### HARDWARE ITEMS (ACCESSORIES)

#### CFH118 - Threshold / Header Filler Rubber End Stop

(Accepts: RAD115 & RAD116)

QTY Colour


50 per bag Black



#### CFH116 - Fixed Panel Blocks (Left & Right)

(1 x pair = top & bottom of fixed panel)

QTY Colour Black 20 prs per bag



#### **CFH117 - Sliding Panel Blocks (Left & Right)**

(1 x pair = top & bottom of fixed panel)

QTY Colour 20 prs per bag Black



#### CFH38D - 80kg Double Wheel Roller

(2 per moving sash)

QTY

Each



#### CFH37 - 40kg Single Wheel Roller

(2 per moving sash)

QTY

Each



#### **CFH40 - Fixed Panel Adjustment Block**

(2 per fixed sash)

QTY

Each




#### **FOAM TABS**

CFH104 = RAD402 / CFH108 = RAD401 / CFH109 = RAD601 & 602

**QTY PER ROLL** 

CFH104 = 980pcs / CFH108 = 890pcs / CFH109 = 890pcs



# **HARDWARE ITEMS (ACCESSORIES)**

#### **CFH98 - D Lock Sliding Door Handle**

QTY	Colour
EACH	Black



# **CFH99 - Slimline Sliding Door Handle**

QTY	Colour
EACH	Black





#### CFH123 - Packer


QTY	Colour
EACH	Black


101.6mm Semi-Commercial Door

165mm Semi-Commercial Door










# **HEAD, SILL TRACK & SUBFRAME**




# RSD501 - 101.6mm Head Track

(Accepts: BW404, BW444, CF405, CF470, RSW421 & ALL 4" Fixing

Reveals) (Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# RSD502 - 101.6mm Sill Track

(Accepts: RSD520, RSW406, RSW407)

(Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RSD503 - 165mm Head Track

(Accepts: BW404, BW444, CF105, CF405, CF470, RSW421 & ALL 4"

Fixing Reveals) (Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RSD504 - 165mm Sill Track

(Accepts: RSD520, RSW406, RSW407)

(Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# RSD524 - 165mm 2 Part Subhead

(USE CF457 BEAD & Accepts: RSD503)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# RSD525 - 165mm Subsill

(Accepts: RSD504)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **JAMBS**

#### **BW400 - Standard Frame**

(Accepts: CF406 + RSW404)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr

# RSW404 - 101.6mm Double Receiver Channel

(Accepts: BW400 with CF406 & CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSD505 - 165mm Jamb

(Accepts: CF105, CF405, RSD506, RSD507)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.5mtr




# RSD506 - 165mm Jamb Receiver

(Accepts: RSD505 & CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr



# RSD507 - 165mm Jamb Double Flyscreen Receiver

(Accepts: RSD505)

Offered Finishes Length

5.4mtr Mill / Natural Anodised / Powdercoated



# RSD508 - 101.6mm Jamb Single Flyscreen Receiver

(Accepts: 101.6mm Jambs)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# **RSD515 - Clip In Receiver**

(Clips into BW400 series pockets & accepts CFH80)

Offered Finishes Length


5.4mtr Mill / Natural Anodised / Powdercoated



# SINGLE GLAZE STILES & RAILS TO SUIT 6mm - 12.76mm GLASS


# RSW408 - SG Lock Stile (16mm Pocket)





Length Offered Finishes

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSW410 - SG Standard Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSW412 - SG Boxed Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSW406 - SG Rail (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr




# RSW418 - SG Male Meeting Stile (16mm Pocket)

(Accepts: CFH96, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSW414 - SG Female Meeting Stile (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

# SINGLE GLAZED STILES, FLYDOOR INTERLOCKS & FILLERS




# **RSW416 - SG Med Boxed Female Meeting Stile**

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# **RSD513 - SG HD Boxed Female Meeting Stile**

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# **RSD509 - SG Fly Door Std Interlock**

(Accepts: CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSD511 - SG Fly Door HD Interlock

(Accepts: CFH80)

Offered Finishes Length

5.4mtr Mill / Natural Anodised / Powdercoated





(Accepts: RSD501, RSD503, RSD506)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

# **RSD520 - Threshold**




(Accepts: RSD502, RSD504)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated

# **DOUBLE GLAZE STILES & RAILS TO SUIT 20mm IGU'S**


#### RSW409 - DG Lock Stile



(Accepts: 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# RSW411 - DG Standard Interlock

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# **RSW413 - DG Boxed Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### RSW407 - DG Rail

(Accepts: 20mm IGU)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




# **RSW419 - DG Male Meeting Stile**

(Accepts: CFH96, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# **RSW415 - DG Female Meeting Stile**


(Accepts: CFH80, 20mm IGU)


Length Offered Finishes


5.4mtr Mill / Natural Anodised / Powdercoated

#### **DOUBLE GLAZED STILES & FLYDOOR INTERLOCKS TO SUIT 20mm IGU'S**









# **RSW417 - DG Med Boxed Female Meeting Stile**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD514 - DG HD Boxed Female Meeting Stile**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD510 - DG Fly Door Std Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD512 - DG Fly Door HD Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD523 - FSF Flyscreen Adaptor**


(Accepts: Boxed Interlock)

Length Offered Finishes


5.4mtr Mill / Natural Anodised / Powdercoated


# **HARDWARE ITEMS (RUBBERS)**


# CFH90 - 6mm-6.76mm Glazing Channel



Length	Colour
80mtr	Black









# CFH92 - 10mm-10.76mm Glazing Channel

Length	Colour
100mtr	Black



# CFH93 - 12mm-12.76mm Glazing Channel

Length	Colour
100mtr	Black



# **CFH94 - 20mm Glazing Channel**

Length	Colour
80mtr	Black



# **CFH95 - Drain Flap**

Length	Colour
300mtr	Black



# **CFH96 - Male Bulb Seal**

Length	Colour
300mtr	Black

# **HARDWARE ITEMS (FIN SEALS & ACCESSORIES)**

# CFH80 - 6.7 x 4.25 x 4.25 Finseal




Length	Colour
450mtr	Black

# CFH81 - 6.7 x 5.5 x 5.75 Finseal



Length	Colour
400mtr	Black

# CFH113 - Boxed Interlock End Cap (Top & Bottom)





# CFH114 - Large Boxed Interlock End Cap (Top & Bottom)

QTY	Colour
10pr per bag	Black

# CFH18 - 10mm Hole Plug



QTY	Colour
10pr per bag	Black

# **CFH115 - Drain Slot Plugs**



QTY	Colour
50pcs per bag	Black


# **FOAM TABS**



CFH104 = RSD501 / CFH105 = RSD502 / CFH106 = RSD503 CFH107 = RSD504


QTY PER ROLL


CFH104 = 980pcs / CFH108 = 890pcs / CFH109 = 890pcs



# **HARDWARE ITEMS (ACCESSORIES)**

# **CFH110 - Fixed Panel Blocks (Left & Right)**





# **CFH111 - Sliding Panel Face Blocks (Left & Right)**

QTY	Colour
10pr per bag	Black



# CFH38D - 80kg Double Wheel Roller

QTY Colour

**EACH** 





# CFH37 - 40kg Sillgle Wileel

(2 per moving sash)

(2 per moving sash)

QTY Colour EACH



# **CFH40 - Fixed Panel Adjustment Block**

(2 per fixed sash)

QTY Colour

**EACH** 

# **HARDWARE ITEMS (ACCESSORIES)**





QTY	Colour
EACH	Black



**CFH99 - Slimline Sliding Door Handle** 


QTY	Colour
EACH	Black




CFH123 - Packer


QTY	Colour
EACH	Black

# **NOTES**






# CENTRE GLAZE COMMERCIAL SYSTEMS



The most widely used commercial framing system, which allows for true versatility and ideal for most commercial and residential applications.



# **BW400 - Standard Frame**

(Accepts: CF404, CF405, CF406, CF407, CF432, CF444, CF451)

(Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# **BW402 - Standard Sill**

(Accepts: CF403, CF405, CF406, CF404, CF444)

(Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF403 - Sill Bead

(Accepts: CF402, CF434)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF403B - Sloping Sill Bead

(Accepts: CF402 & CF434)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF405 - Flat Filler

(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# **BW401 - Heavy Frame**

(Accepts: CF404, CF405, CF406, CF407, CF432, CF444, CF451)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **CF472 - Heavy Transom**

(Accepts: CF403, CF403B, CF406)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **BW444 - Heavy Duty Adapter**

(Accepts: CF400, CF401, CF406, CF407, CF418, CF434)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 21.0

90.8


90.8

SUL

# **BW404 - Glazing Adapter**

(Accepts: CF400, CF401, CF406, CF407, CF418, CF434)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




# **BW436 - Narrow Jamb**

(Accepts: CF402, CF434)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF450 - 33mm Std Main Frame (101.6 x 33)



(Accepts: CF405, CF406, CF407, CF416, CF432, CF433, CF470)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




# **BW427 - Self Mating Mullion**

(Accepts: CF406, CF407) (Accepts: CFH5 Mullion Seal)

Offered Finishes Length


Mill / Natural Anodised / Powdercoated 6.5mtr



# **CF428 - HD Mating Mullion**

(Accepts: CF406, CF407) (Accepts: CFH5 Mullion Seal)

Length Offered Finishes 6.5mtr Mill / Natural Anodised / Powdercoated




# CF423 - COC Closer transom

(Accepts: CF425, CF414 - Ideal for pivot doors)

Offered Finishes Length 6.5mtr Mill / Natural Anodised / Powdercoated

# CF425 - Flush Filler



(Accepts: CF423)

Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr



# CF470 - Back to Back Adaptor (Coupler Bar)

(Accepts: 101.6mm Frames/Sills)

Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr



# CF406 - Pocket Filler


(Accepts: CF400, CF400B, CF401, CF404, CF444, CF418, CF436,


CF427, CF428, CF601, CF627)


Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr

















# CF407 - 45mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

# CF432 - 35mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF433 - 40mm Dooor Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated

# CF416 - 35mm Sash Stop

(Accepts: BW400, BW401, BW404, BW444)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr

# **CF7124 - Acoustic Sash Stop**

(Accepts: BW400, BW401, BW404, BW444)

(Accepts: CFH13 & CFH13D)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr


# CF4516 - 50mm Sash Stop


(Accepts: BW400, BW401, BW404, BW444)


(Accepts: CFH13 & CFH13D)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr








150.8

89.2



# CF467 - Winder Support for 50mm Sash

NEW

(Accepts: 50mm Awning Sash)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF466 - Winder Support for 35mm Sash



(Accepts: 35mm Awning Sash)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF451 - Fixing/Reveal Adaptor

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF471 - Fixing Adaptor**

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF484 - Fixing/Reveal Adaptor 30/70



(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF485 - Fixing/Reveal Adaptor 40/60



(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF486 - Fixing/Reveal Adaptor 50/50

(Accepts: 101.6mm Frames)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

# **CF473 - Fixing Adaptor (External plaster trim)**



5.6	(Ac
35.4	Lei
	6 5

45.6


(Accepts: 101.6mm Frames)

Offered Finishes ngth

Mill / Natural Anodised / Powdercoated 6.5mtr

# **CF488 - Fixing Adaptor (Plaster Return)**








(Accepts: 101.6mm Frames)


Offered Finishes Length


Mill / Natural Anodised / Powdercoated 6.5mtr














# CF8131 - Plain Frame

(Accepts: CF405, BW404, BW444, CF470, CF483, CF704, CF704L)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# **BW418 - Corner Post**


(Accepts: CF405, BW404, BW444, CF470, CF483, CF704, CF704L)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# 700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)














# **CF701 - DG Standard Frame**

(Accepts: CF405, CF404, CF444, CF706, CF707, CF716, CF717, CF704)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF702 - DG Sill

(Accepts: CF405, CF404, CF444, CF704, CF703)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF703 - DG Sill Bead

(Accepts: CF702)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **CF704 - DG Glazing Adaptor**

(Accepts: CF701, CF706, CF707, CF716, CF717)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF706 - DG Pocket Filler

(Accepts: CF701, CF701L, CF704, CF704L, CF727, CF772)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# CF707 - DG Door Stop (45mm Door)

(Accepts: CF701, CF701L, CF704, CF704L, CF727, CF772)

(Accepts: CFH4 & CFH11)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



#### CF701L - DG 50mm Frame

(Accepts: CF405, BW404, BW444, CF706, CF707, CF716, CF717, CF704L)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF702L - DG 50mm Sill

(Accepts: CF405, BW404, BW444, CF704L, CF703L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF703L - DG 50mm Sill Bead

(Accepts: CF702L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 38.0


90.8

31.8

# CF704L - DG 50mm Glazing Adaptor

(Accepts: CF701L, CF702L, CF706, CF716, CF717)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




# CF716 - DG 35mm Sash Stop

(Accepts: CF701, CF701L, CF704, CF704L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# CF717 - DG 50mm Sash Stop



(Accepts: CF701, CF701L, CF704, CF704L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



# **CF727 - DG Self Mating Mullion (50mm)**

(Accepts: CF706, CF707, CF716, CF717, CF727)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF728 - DG HD Self Mating Mullion (44.4mm)

(Accepts: CF706, CF707, CF716, CF717, CF728)

(Accepts: CFH5 Mullion Seal)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF772 - DG HD Transom


(Accepts: CF703, CF706, CF716, CF717)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **CF718 - DG Corner Post/Coupler**


(Accepts: CF405, BW404, BW444, CF706, CF707, CF704)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




		101.6	<u> </u>
		6. 8. 8.	
101.6			


# 750 SERIES CENTRE GLAZE - 50mm DOUBLE GLAZE (101.6mm FRAME)











# CF751 - DG 50mm Pocket Frame

(Accepts: CF405, CF404, CF444, CF704, CF754)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF752 - DG 50mm Pocket Sill

(Accepts: CF405, CF404, CF444, CF703)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF754 - DG 50mm Pocket Glazing Adaptor

(Accepts: CF751, CF752)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF753 - DG 50mm Pocket Sill Bead

(Accepts: CF752)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF7528 - DG 50mm Pocket Self Mating Mullion

(Accepts: CF7528)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF405 - Flat Filler


(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **100mm FRONT GLAZE COMMERCIAL SUITE (100mm x 50mm FRAME)**

# **SUBHEAD OPTIONS**



# CF437 - Standard Subhead (110mm x 49mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF458 - 2 Piece Subhead (115mm x 50mm)**

(Accepts: CF457)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



15.5

# CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF477 - HD Subhead (113mm x 40mm)**

(Accepts CFH13 & CFH13D)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# 400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

#### **SUBSILL OPTIONS**




# CF430 - 113mm Slotted Subsill (5.2mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF420 - 120mm Slotted Subsill (12mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF420HD - 120mm HD Slotted Subsill (12mm SB)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF431R - 131mm Slotted Subsill (23mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF462 - 144mm Slotted Subsill (36mm setback)


30.0 (Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

#### **SUBSILL OPTIONS**



# 400/700 SERIES THRESHOLDS (101.6mm FRAME)

#### **DOOR SILL & THRESHOLD OPTIONS**

# CF438 - Standard Threshold

(Suitable for 101.6mm Frames)






# 39.8 76.2 49.1 <del>0</del>

# CF439 - Open Out Threshold

(Accepts: CFH4, CF405 & Suitable for 101.6mm Frames)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



# **CF468 - Disabled Threshold**

(Suitable for 101.6mm Frames)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



# CF469 - Incline Wheelchair Threshold

(Suitable for 101.6mm Frames)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




# **CF478 - Low Profile Threshold**


(Suitable for 101.6mm Frames)


Lengtl	h Offered Finishes	
4.0mt	r Mill / Natural Anodised / Powdercoated	


# **400 SERIES GLAZING DETAIL**




# 700 SERIES GLAZING DETAIL (101.6mm FRAME)










#### **BW601 - SG 150mm Frame**

(Accepts: BW404, BW444, CF405, CF406, CF607, CF616, CF704)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# BW602 - SG 150mm Sill

(Accepts: BW404, BW444, CF405, CF704)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF603 - 150mm Sill Bead

(Accepts: CF602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **BW404 - Glazing Adapter**

(Accepts: BW601, BW602, CF406, CF607, CF616, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# **BW444 - HD Adapter**

(Accepts: BW601, BW602, CF406, CF607, CF616, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF405 - Flat Filler

(Accepts: BW601, BW602, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF685 - 150mm Plain Frame

(Accepts: RA265 Flat Filler)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# **BW627 - 150mm Self Mating Mullion**


(Accepts: CF406, CF607, CF616, CF627)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF429 - Plant On Door Stop




(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# CF607 - 45mm Door Stop



(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF616 - 35mm Sash Stop

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF406 - Pocket Filler

(Accepts: BW601, BW627)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# DG601 - 150mm DG Frame

(Accepts: BW404, BW444, CF405, CF704, CF706)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **DG602 - 150mm DG Sill**

(Accepts: BW404, BW444, CF405, CF704, DG603)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG603 - 150mm Sill Bead

(Accepts: DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# DG627 - 150mm DG Self Mating Mullion

(Accepts: CF704, CF706, DG627)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF704 - DG Glazing Adaptor**

(Accepts: BW601, BW602, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF706 - DG Pocket Filler

(Accepts: DG601, DG602, DG627)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **SUBHEAD, SUBSILL & THRESHOLD OPTIONS**




# CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF658 - 150mm Subhead 2 Piece

(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH5 Mullion Seal)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




# **CF457 - 2 Piece Subhead Cover (Pressure Bead)**

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF630 - 150mm Subsill

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




# CF669 - 150mm Incline Wheelchair Threshold

Suits 150mm frame & inserts to CF630 Subsill


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# **600 SERIES GLAZING DETAIL (150mm FRAME)**





<sup>\*\*\*</sup>Please note: Images are not to scale\*\*\*

# 300 SERIES CENTRE GLAZE ARCADE SUITE (76mm x 35mm FRAME)














# **CF301 - 76mm Frame**

(Accepts: CF305, CF306, CF307, CF316, CF332)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF302 - 76mm Sill

(Accepts: CF303, CF304, CF306)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF303 - 76mm Sill Bead

(Accepts: CF302) (Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF304 - Glazing Adapter**

(Accepts: CF301, CF302, CF318)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF305 - Flat Filler

(Accepts: CF301, CF302, CF318)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated


# CF306 - Pocket Filler


(Accepts: CF301, CF302, CF304, CF318)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated









#### CF332 - 35mm Door Stop

(Accepts: CF301, CF304, CF318) (Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF307 - 45mm Door Stop

(Accepts: CF301, CF304, CF318) (Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF316 - 35mm Sash Stop

(Accepts: CF301, CF304, CF318)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### CF318 - 76mm Corner Post

(Accepts: CF304, CF305, CF306, CF307, CF316)

(Accepts: CFH014)

Length Offered Finishes

#### **SUBHEAD, SUBSILL & FIXING OPTIONS**




#### **CF351 - Fixing/Reveal Adaptor**

(Accepts: CF301, CF302)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF330 - Slotted Subsill**

(Accepts: 76mm Frames) (Accepts: CFH13 & CFH13D)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated





#### CF337 - Subhead

(Accepts: 76mm Frames)

(Accepts: CFH24)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated






#### DG311 - DG 76mm Frame

(Accepts: DG314, DG315, DG317, DG318, CF305)

(Accepts: CFH014)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



#### DG312 - DG 76mm Sill

(Accepts: DG313, DG314, CF305)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG313 - DG 76mm Sill Bead

(Accepts: DG302) (Accepts: CFH014)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG314 - DG 76mm Glazing Adaptor

(Accepts: DG311, DG312)

(Accepts: CFH014)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



#### DG315 - DG 76mm Pocket Filler

(Accepts: DG311, DG312, DG314)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




#### CF305 - 76mm Flat Filler

(Accepts: DG311, DG312, CF301, CF302, CF318)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr





#### DG316 - 35mm Door Stop

(Accepts: DG311, DG314) (Accepts: CFH4 & CFH11)




Length

Offered Finishes

Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG317 - 45mm Door Stop


(Accepts: DG311, DG314) (Accepts: CFH4 & CFH11)



Length

6.5mtr

Mill / Natural Anodised / Powdercoated



#### DG318 - 35mm Sash Stop




(Accepts: DG311, DG314)


Length Offered Finishes

# **300 SERIES ARCADE SUITE GLAZING DETAIL (76mm FRAME)**


6mm GLASS




8mm GLASS




10mm GLASS





20mm GLASS




# **NOTES**








The popular Front Glaze System,
Unmatched maximum design
capabilities intended to give you a
modern but clean exterior
appearance. Strength and design
requirements will be met with both
flexibility and uniformity. Available
in both single and double glazed
including 100mm and 150mm
frame depths.














#### CF101CW - STD Frame

(Accepts: CF106, CF107, CF116, CF156, CF405)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF102CW - Sill/Transom (External Glazing)

(Accepts: CF103, CF105, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF104 - Sill/Transom Bead (External)



(Accepts: CF102CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF105 - Flat Filler

(Accepts: CF102CW, CF114CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF106 - Pocket Filler**

(Accepts: CF101CW, CF102CW, CF108CW, CF114CW, CF127CW, CF128CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### CF107 - 45mm Door Stop

(Accepts: All SG FG glazing pockets)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF108CW - Sill/Transom (Internal Glazing)**

(Accepts: CF106, CF109CW)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF109CW - Sill/Transom Bead (Internal Glazing)**

(Accepts: CF108CW) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF110CW - Cover Transom (External Glazing)**

(Accepts: CF106, CF111) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF111 - Cover Bead**

(Accepts: CF103, CF105, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF114CW - Mullion (Open Box)

(Accepts: CF105, CF106) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF113 - Structural Self Mating Mullion**


(Accepts: CF113)


(Accepts: CFH5 Mullion Seal)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated














#### CF156 - 50mm Sash Stop

(Accepts: CF101CW, CF102CW, CF108CW, CF110CW, CF114CW)

(Accepts: CFH13)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF116 - 35mm Sash Stop

(Accepts: CF101CW, CF102CW, CF108CW, CF110CW, CF114CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF125 - Structural Female Split Mullion**

(Accepts: CF126)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF126 - Structural Male Split Mullion**

(Accepts: CF125)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF128CW - Male Split Mullion**

(Accepts: CF127CW, CF117)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### **CF127CW - Female Split Mullion**

(Accepts: CF128CW, CF117)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF117 - 100mm Splice Bar

(Accepts: CF127CW & CF128CW)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



#### CF405 - Flat Filler

(Accepts: CF101CW)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### **CF112 - Structural Transom**


(Accepts: CF105)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated






56.0



21.5



#### **DG101 - DG Frame 100mm x 50mm**

(Accepts: CF405, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG106 - Pocket Filler**

(Accepts: DG101, DG108, DG110, DG114, DG127, DG128, DG122, DG123, DG161, DG162, DG163, DG164, DG167, DG168, DG169, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG108 - DG Internal Transom**

(Accepts: DG106, DG107, DG109, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG109 - DG Internal Transom Bead**

(Accepts: DG108) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG112 - DG Boxed Sill/Transom

(Accepts: DG106, DG113, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG113 - DG FG External Bead**

(Accepts: DG112, DG172)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### DG114 - DG Head/Jamb Transom

(Accepts: DG105, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG127 - DG Female Split Mullion**

(Accepts: DG128)

(Accepts: CFH015 & CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG128 - DG Male Split Mullion**

(Accepts: DG127)

(Accepts: CFH015 & CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG110 - DG Cover Transom

(Accepts: CF111, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated






(Accepts: CF110CW, CF171CW, DG110, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG105 - DG Internal Flat Filler**

(Accepts: DG114)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG116 - DG 35mm Sash Stop

Fits most Front Glazed Double Glazed Pockets

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### DG156 - DG 50mm Sash Stop

Fits most Front Glazed Double Glazed Pockets

(Accepts: CFH13)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### DG107 - DG 45mm Door Stop


Fits most Front Glazed Double Glazed Pockets

(Accepts: CFH4 & CFH11)

(, receleter er	···· \( \square\)
Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **SUBHEAD OPTIONS**



#### CF437 - Standard Subhead (110mm x 49mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF458 - 2 Piece Subhead (115mm x 50mm)**

(Accepts: CF457)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF477 - Heavy Duty Subhead (113mm x 40mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **SUBSILL OPTIONS**


# 30.0

#### CF430 - 113mm Slotted Subsill (5.2mm setback)

30.0 (Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF420 - 120mm Slotted Subsill (12mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF420HD - 120mm HD Slotted Subsill (12mm SB)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF431R - 131mm Slotted Subsill (23mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF462 - 144mm Slotted Subsill (36mm setback)

30.0 (Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

# 400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

#### **SUBSILL OPTIONS**




#### CF462N - 148mm Slotted Subsill (36mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF463N - 154mm Slotted Subsill (12mm setback)



(Accepts: 101.6mm Thresholds, CFH13, CFH13D)


Length Offered Finishes

#### **DOOR SILL & THRESHOLD OPTIONS**


#### **CF438 - Standard Threshold**

(Suitable for 101.6mm Frames)






#### CF439 - Open Out Threshold



(Accepts: CFH4, CF405 & Suitable for 101.6mm Frames)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### CF468 - Disabled Threshold



(Suitable for 101.6mm Frames)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### CF469 - Incline Wheelchair Threshold



(Suitable for 101.6mm Frames)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CF478 - Low Profile Threshold**



(Suitable for 101.6mm Frames)

Length	Offered Finishes
4.0mtr	Mill / Natural Anodised / Powdercoated



#### CF161CW - 150mm Frame

(Accepts: CF106, CF107, CF116, CF156, RA265)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### RA265 - Flat Filler

(Accepts: CF161CW, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF162CW - Transom/Sill (External Glazing)**

(Accepts: CF103, CF106, CF165)

(Accepts: CFH015)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### **CF104 - External Glazing Bead**



(Accepts: CF102CW, CF162CW)

ies
es

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF164CW - Head/Jamb Transom**

(Accepts: CF106, CF165)

(Accepts: CFH015)

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF165 - 150mm Internal Filler

(Accepts: CF162CW, CF164CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF106 - SG Pocket Filler

(Accepts: Most Front Glaze Single Glaze Pockets)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF173CW - 150mm SG Female Mullion**

(Accepts: CF106, CF107, CF116, CF156, CF174CW,)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF174CW - 150mm SG Male Mullion

(Accepts: CF106, CF107, CF116, CF156, CF173CW,)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF169CW - 150mm Internal Transom

(Accepts: CF106, CF170CW))

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF170CW - 150mm Internal Glazing Bead**

(Accepts: CF169CW) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF175 - 150mm Female Structural Mullion

(Accepts: CF176)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF176 - 150mm Male Structural Split Mullion

(Accepts: CF175)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF171CW - 150mm Cover Transom

(Accepts: CF106, CF111) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF111 - Cover Bead**

(Accepts: CF171CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF177 - 150mm Splice Bar

(Accepts: CF167CW/CF168CW, CF175/CF176)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF685 - 150mm Plain Frame

(Accepts: RA265

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF107 - 45mm Door Stop

(Accepts: CF176)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF156 - 50mm Sash Stop

(Accepts: CFH13 & Accepts most SG Front Glaze pockets)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF116 - 35mm Sash Stop

(Accepts: CFH13 & Accepts most SG Front Glaze pockets)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **DG161 - 150mm DG Frame**

(Accepts: DG105, DG107, DG116, DG156, DG201, RA265)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### DG164 - 150mm DG Mullion (One Piece)

(Accepts: CF405, DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG172 - 150mm DG Transom (External Bead)

(Accepts: DG106, DG113, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG113 - DG FG External Bead

(Accepts: DG172) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG168 - 150mm DG Male Split Mullion

(Accepts: DG105, DG107, DG116, DG156, DG201, FB055)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG167 - 150mm DG Female Split Mullion

(Accepts: DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA265 - Flat Filler**

(Accepts: CF161CW, CF685, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG169 - 150mm DG Internal Transom

(Accepts: DG105, DG107, DG116, DG156, DG170, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG170 - 150mm DG Internal Glazing Bead

(Accepts: DG169) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG171 - 150mm DG Cover Transom (Face Bead)

(Accepts: CF111, DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CF111 - Cover Bead**

(Accepts: CF110CW, CF171CW, DG171)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### DG201 - DG Pocket Infill (Create SG Pocket)

(Accepts: CFH015) Suits 100mm & 150mm DG Pockets

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### DG106 - Pocket Filler

(Accepts: DG101, DG108, DG110, DG114, DG127, DG128, DG122, DG123, DG161, DG162, DG163, DG164, DG167, DG168, DG169, DG171)



6.5mtr Mill / Natural Anodised / Powdercoated




#### DG116 - 35mm Sash Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG156 - 50mm Sash Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

(Accepts: CFH13)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG107 - 45mm Door Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

(Accepts: CFH4 & CFH11)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **600 SERIES CENTRE GLAZE (150mm FRAME)**

#### **SUBHEAD, SUBSILL & THRESHOLD OPTIONS**

#### CF637 - 150mm Subhead



(Accepts: CFH13 & CFH13D) Suits 150mm Frame


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH5 Mullion Seal)






#### CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF630 - 150mm Subsill

(Accepts: CFH13 & CFH13D) Suits 150mm Frame


Length	Offered Finishes	
6.5mtr	nodised / Powdercoated	




#### CF669 - 150mm Incline Wheelchair Threshold





Length	Offered Finishes	
6.5mtr	nodised / Powdercoated	




# FRONT GLAZE SYSTEM GLAZING DETAIL










This particular system is aesthetically sought after for most medium rise and shopfront use with its clean and modern external appearance. Glazing & Design features nearly flush with the outside face leaving as little of the aluminium profiles visibility externally. The flush glaze system can also be used as a curtain wall due to its design strength properties. Single and double glazed options along with 103mm and 150mm frame depths.








# 90.2





#### **CF241 - SG Standard Frame**

(Accepts: CF244, CF243, CF256, CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF242 - SG Jamb/Pocketed Frame**

(Accepts: CF244, CF243, CF256, CF405, CF406)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF405 - Flat Filler

(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF483 - HD Flat Filler with Screw Flutes

(Accepts: CF241, CF242, CF251)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF246 - SG Male Split Mullion

(Accepts: CF247, CF244, CF243, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF247 - Female Split Mullion**

(Accepts: CF246)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF252 - Self Mating Mullion**

(Accepts: CF244, CF243, CF256) (Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF259 - SG HD Male Mullion

(Accepts: CF244, CF243, CF252, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF291 - SG Box Transom

(Accepts: CF244, CF243, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF289 - DG HD Male Mullion

(Accepts: CF243, CF252, CF254, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF251 - DG Standard Frame**

(Accepts: CF243, CF254, CF256, CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF290 - DG Box Transom

(Accepts: CF243, CF254, CF256)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated


#### CF252HD - HD Self Mating Mullion


(Accepts: CF252, CF259, CF289) (Accepts: CFH5 Mullion Seal)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated









#### **CF248 - Structural Male Mullion**

(Accepts: CF249)

(Accepts: CFH5 Mullion Seal)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CF249 - Structural Female Mullion**


(Accepts: CF248)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CF292 - Spandrel Adaptor**

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### FLUSH GLAZE SUITE - SUBSILL & SUBHEAD OPTIONS (100mm FRAME)




#### CF261 - SG Flush Glaze Subhead

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF480 - 2 Piece Flush Glaze Subhead

(Accepts: CF457)

(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF457 - 2 Piece Subhead Cover (Pressure Bead)**

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF277 - DG Flush Glaze Subhead

(Accepts: 100mm Flush Glaze Frames)
(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF462N - SG Flush Glaze Slotted Subsill

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF479 - DG Flush Glaze Slotted Subsill

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **RA261 - 150mm Frame**

(Accepts: CF244, CF243, CF256, RA265)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA265 - Flat Filler**

(Accepts: CF161CW, CF685, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA262 - SG Box Transom

(Accepts: CF244, CF243, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA266 - 150mm Female Split Mullion

(Accepts: RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA267 - 150mm Male Split Mullion

(Accepts: RA266)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes




#### **RA271 - 150mm DG Frame**

(Accepts: CF243, CF254, CF256, RA265)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **RA272 - DG Box Transom**

(Accepts: CF243, CF254, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RA276 - 150mm DG Female Split Mullion

(Accepts: CF243, CF254, CF256, RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA268 - 150mm Blind Female Split Mullion

32.6 (Accepts: RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF652 - 150mm Self Mating Mullion

(Accepts: CF652)

Length Offered Finishes

#### FLUSH GLAZE SUITE - SUBSILL & SUBHEAD OPTIONS (150mm FRAME)




#### **RA278 - DG Flush Glaze Slotted Subsill**

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA279 - SG Flush Glaze Slotted Subsill

(Accepts: 150mm Flush Glaze Frames)
(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA280 - SG Flush Glaze Subhead

(Accepts: 150mm Flush Glaze Frames)
(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA281 - DG Flush Glaze Subhead**

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated





#### CF685 - 150mm Plain Frame


(Accepts: RA265 Flat Filler)


Length Offered Finishes


#### **FLUSH GLAZE SUITE - SNAP ON COVERS & STOPS**














#### CF243 - 16mm Snap Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF244 - 16mm Snap Return Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF256 - 20mm Snap Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF257 - 20mm Snap Return Cover

(Accepts: CF251, CF289, CF290, RA271, RA272, RA276)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF254 - 16mm DG Return Cover

(Accepts: CF251, CF289, CF290, RA271, RA272, RA276)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### CF253 - DG Adaptor


(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **FLUSH GLAZE SUITE - GLAZING BASES & STOPS**

#### CF250 - Plant On Base






Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### CF260 - DG Plant On Base

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## FLUSH GLAZE COMMERCIAL SUITE GLAZING & CAPPING DETAIL




# **NOTES**






# INSERTIONS: NESTED FRAMES, SEALS &





- 1. Awning/Casement Sashes
- 2. Commercial Doors
- 3. Commercial Fixed Louvres
- Hardware, Components, Gaskets & Seals


## **INSERTIONS: AWNING/CASEMENT SASHES**


## 35mm AWNING/CASEMENT SASHES (SG & DG)














### CF415 - 35mm Grooved Awning Sash

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

## CF415B - 35mm Flat Awning Sash

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

## CF417 - Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF016 - DG Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF475 - 35mm Grooved Awning Sash with Hinge

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF475B - 35mm Flat Awning Sash with Hinge

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


## **INSERTIONS: AWNING/CASEMENT SASHES**


## 35mm AWNING/CASEMENT SASHES

## CF460H - Sash Hinge









## CF435 - 35mm Sloping Awning Sash (SG only)

(Accepts: CF414)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 11.8 16.1

#### CF414 - Sash Bead

(Accepts: CF435)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### **CFH3 - 35mm Corner Stake**

(Accepts: CF415, CF415B, CF435, CF475, CF475B)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **INSERTIONS: AWNING/CASEMENT SASHES**

## 50mm AWNING/CASEMENT SASHES (SG & DG)



## CF4515 - 50mm Awning Sash


(Accepts: CF016, CF417, CF4517)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH50 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

## CF4517 - 50mm Sash Bead




(Accepts: CF4515)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF417 - Sash Bead




(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF016 - DG Sash Bead




(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

## **CFH50 - 50mm Corner Stake**



(Accepts: CF4515)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


## **Awning Sash Guides & Drawings**

## 35mm SASH


#### 6mm GLASS




#### 8mm GLASS




10mm GLASS



6/12/6mm GLASS




6/12/6mm GLASS




## 50mm SASH


#### 6mm GLASS




10mm GLASS




5/8/5mm GLASS




5/10/5mm GLASS



6/12/6mm GLASS





# **Awning Sash Guides & Drawings**




# 900 SERIES DOOR: SINGLE GLAZE 73mm X 44mm (accepts CFH6 spigot) 14.5mm glazing pocket = up to 10.38 glass

## 72.9 18.8 18.8 18.8







#### CF907 - SG Plain Stile

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **CF908 - SG Sliding Stile**

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **CF909 - SG Hinge Stile**

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF910 - SG Lock Stile

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **CF911 - SG Meeting Stile (1 piece)**

(Accepts: CFH24 Black/Grey Schlegel)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF912 - Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# 900 SERIES DOOR: SINGLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 14.5mm glazing pocket = up to 10.38 glass



## **CF001 - SG Wide Sliding Door Stile**


(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



## **CF002 - SG Wide Hinge Stile**


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF003 - SG Wide Lock Stile

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Fiffishes
6.5mtr	Mill / Natural Anodised / Powdercoated




## **CF004 - SG Wide Pivot Stile**

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### **CF005 - SG Wide Plain Stile**



Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## 900 SERIES COMMERCIAL DOOR RAILS (SINGLE GLAZED)


### **ACCEPTS CFH6 SPIGOT**



## CF411 - SG Top Rail

(Accepts: CF414)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF412 - SG Bottom Rail

(Accepts: CF414)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF413 - SG 123mm Mid Rail

(Accepts: CF414)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF414 - SG Door Rail Bead

(Accepts: CF411, CF412, CF413, CF426)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated





## CF426 - SG 45mm Mid Rail


(Accepts: CF414)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# 900 SERIES DOOR: DOUBLE GLAZE 73mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)














#### CF917 - DG Plain Stile

(Accepts: CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## CF918 - DG Sliding Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## CF919 - DG Hinge Stile

(Accepts: CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF920 - DG Lock Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF921 - DG Meeting Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF922 - DG Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## 900 SERIES DOOR: DOUBLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)

# 114.3 44.5

## **CF021 - DG Wide Sliding Door Stile**

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)


Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	



## **CF022 - DG Wide Hinge Stile**

(Accepts: CFH016 Captive Wedge)


Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	



## CF023 - DG Wide Lock Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)


Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	



#### CF024 - DG Wide Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### CF025 - DG Wide Plain Stile

(Accepts: CFH016 Captive Wedge)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	




# 900 SERIES DOOR: DOUBLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)



## CF931 - DG Top Rail

(Accepts: SF061 & CFH016 Captive Wedge)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	



#### CF932 - DG Bottom Rail


(Accepts: SF061 & CFH016 Captive Wedge)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	

## CF933 - DG Mid Rail

(Accepts: SF061 & CFH016 Captive Wedge)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	




12.8

#### SF061 - DG Door Rail Bead

(Accepts: CF931, CF932, CF933 & CFH016 Captive Wedge)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	


## 900 SERIES DOOR: SINGLE/DOUBLE GLAZE SPIGOT OPTIONS (1 door = 4 each)



## CFH6 - 900 Series Spigot

(Accepts: ALL 900 series Door Stiles & Rails)


Unit	Offered Finishes
Each or bags of 100	Mill finish only




## **CFH43 - Heavy Duty Spigot with Back Plate**


(Accepts: DG 900 Series Door Stiles & Rails ONLY)


Unit	Offered Finishes
Each or bags of 100	Mill finish only




## **DOOR MISCELLANEOUS: TRACKS, GUIDES & ATTACHEMENTS**














## **CF421 - Sliding Door Track Insert**

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF422 - Door Floor Guide

(Accepts: CFH16)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **CF424 - Sliding Door Guide**

(Accepts: CFH16)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## CF429 - Plant On Door Stop

(Accepts: CFH4 Door Stop Rubber)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **CF441 - Sliding Stile Interlock**

(Accepts: CFH4 Door Stop Rubber)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## CF446 - Sliding Guide/Reciever

(Accepts: CFH16)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## CF447 - Guide/Reciever Cover

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **DOOR MISCELLANEOUS: TRACKS, GUIDES & ATTACHEMENTS**



## CF445 - Single track

(Accepts: CFH445 Bottom Roller)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



## CF449 - Plant On Door Stop

(Accepts: CFH4 Door Stop Rubber)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




## **CF455 - Meeting Stile Adaptor**

(Accepts: Lock & Pivot Stile Pile Groove & CFH24)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF461 - Top Track (MAX 150kg load)

(Accepts: CFH19 Roller)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



## CF453 -114mm Overhead Track

(Accepts: CF454 & CFH16)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### CF454 - Overhead Track Pelmet

(Accepts: CF453 & CFH16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CFH453EC - End Cap


(Accepts: CF454)

Length Offered Finishes

Pair = 2 Mill / Powdercoated Silver

\*\*\*Please note: Images are not to scale\*\*\*


## 900 SERIES DOOR GLAZING GUIDE



## **GLAZING CHANNELS**


Offered Finishes:
Mill / Natural Anodised or
Powdercoated


PART No.	LENGTH	DESCRIPTION
CF015	6.5	19mm pocket after the bead is fitted
CF016	6.5	19.2
CF017	6.5	24 24
CF018	6.5	44mm pocket after CF016 is fitted 25mm pocket after CF417 is fitted 50
CF417	6.5	19.2





## **INSERTIONS: COMMERCIAL FIXED LOUVRES**


#### **COMMERCIAL FIXED LOUVRES**














73.6

#### LV001 - 50mm Louvre

(Accepts: LF001) **RECOMMENDED MAX SPAN = 1200mm** Length Offered Finishes Mill / Natural Anodised / Powdercoated 6.5mtr

## LF001 - 50mm Louvre frame

(Accepts: LV001)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### LV050 - 50mm Louvre

(Accepts: LV051)	RECOMMENDED MAX SPAN = 1400mm
Length	Offered Finishes
6.5mtr M	ill / Natural Anodised / Powdercoated

#### LV051 - 50mm Louvre Frame

(Accepts: LV050)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## LV7061 - 76mm Clip on Louvre

(Accepts: LV7049)	RECOMMENDED MAX SPAN = 2000mm
Length	Offered Finishes
6.5mtr Mill	/ Natural Anodised / Powdercoated

## LV7049 - Louvre Clip

(Accepts: LV7061)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## **INSERTIONS: COMMERCIAL FIXED LOUVRES**

# 76.2 95.0 101.6 76.2 25.4 90.8 109.8

105.0

7

42.8

50.0

20.0

#### **COMMERCIAL FIXED LOUVRES**

#### **LV9517 - Sub Station Louvre**

RECOMMENDED MAX SPAN = 2000mm

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

## LF436 - Narrow frame

(Accepts: CF405)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### LV100 - 100mm Louvre


(Accepts: LV101	RECOMMENDED MAX SPAN = 2000mm
Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### LV101 - 100mm Louvre Frame

(Accepts: LV100)


Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	

#### A RANGE OF ELIPTICAL LOUVRES ALSO AVAILABLE ON REQUEST





## **GLAZING WEDGES (SOFT - ROLL-IN)**

## TENED WEDGES (SOLL MOLE III)



=	
	7.9





Length	Colour
200mtr	Black

## CFH007 - 6mm FG Shopfront Wedge

**CFH006 - 6mm Shopfront Wedge** 

Length	Colour	
200mtr	Black	

## **CFH008 - 8mm Shopfront Wedge**

Length	Colour
250mtr	Black


## CFH009 - 6mm Front Glaze Roll-in Wedge


Length	Colour
100mtr	Black

## CFH010 - 10mm Shopfront Wedge


Length	Colour
500mtr	Black


## **GLAZING WEDGES (CAPTIVE)**





	4.5	
		9.5-9.6
14.3		6.1





## **CFH012 - Co-Ex Captive Wedge**

(Clear/White Backing)

Length	Colour
150mtr	Black

## CFH014 - 300 Series Co-Ex Captive Wedge

(Black Backing)

Length	Colour
150mtr	Black

## **CFH015 - Front Glaze Co-Ex Captive Wedge**

(Yellow Backing)

Length	Colour
100mtr	Black

## **CFH016 - DG Door captive Wedge**


(Green Backing)

Length	Colour
150mtr	Black


## **CFH017 -- Front Glaze Co-Ex Captive**


(Blue Backing)

Length	Colour
100mtr	Black









#### **SEALS**

### **CFH4 - Door Stop Rubber**

(Accepts: CF107, CF307, CF332, CF407, CF429, CF432, CF433, CF607, CF707, DG107, DG316, DG317)

Length	Colour
200mtr	Black

## **CFH5 - Mullion Seal**

(Accepts: CF113, CF128CW, CF174, CF175, CF246, CF252, CF259, CF289, CF427, CF428, CF727, CF728, CF7528, DG128, DG168,

Length	Colour
200mtr	Black

#### CFH13 - Sash Seal

(Accepts: CF330, CF415, CF430, CF431, CF435, CF437, CF443, CF452, CF457, CF458, CF459, CF462, CF465, CF630, CF7124)

Length	Colour
250mtr	Black

## CFH13D - Co-Ex Seal (Hard Backed)

(Accepts: CF330, CF415, CF430, CF431, CF435, CF437, CF443, CF452, CF457, CF458, CF459, CF462, CF465, CF630, CF7124)

Length	Colour
250mtr	Black

## **CFH56 - Partitioning Door Stop Seal**

(Accepts: All Rapid Partitioning Door Stops)

Length	Colour
150mtr	Black





## CFH11 - 9mm Wool Pile Seal (NO FIN)

(Accepts: CF107, CF307, CF332, CF407, CF429, CF432, CF433, CF607, CF707, DG107, DG316, DG317)

Length	Colour
150mtr or per mtr	Black or Grey



#### CFH12 - 13mm Wool Pile Stile Seal (NO FIN)

(Accepts: CF001, CF003, CF004, CF908, CF910, CF912, CF918, CF920, CF922)

Length	Colour
500mtr or per mtr	Black or Grey



## CFH16 - 6.9mm Wool Pile (NO FIN)

(Accepts: Apartment Door, Semi-Commercial Door, Sliding Window & Rapid Partitioning door stops)

Length	Colour
325mtr or per mtr	Black or Grey



## CFH24 - 4.8mm Wool Pile Seal (NO FIN)

(Accepts: CF337, CF437, CF455, CF457, CF458, CF911, CF921

Length	Colour
750mtr or per mtr	Black or Grey



## CFH25 - Wool Pile Seal (WITH FIN)

(Accepts: RAD - 401, 402, 404, 601, 602, 604 / RSD - 501, 502, 503, 504, 505 / RSW - 301, 302, 401, 402, 403, 404)

301, 303 / 11311	301, 302, 101, 102, 103, 101,
Length	Colour
350mtr or per	mtr Black or Grey



## CFH19 - Top Roller

(Accepts: CF461)



## **CFH20 - Bottom Roller**

(Accepts: C010 - 25 x 25 x 3mm Channel)


QTY	OPTIONS
Each	Standard

## CFH10 - Top Hung Door Roller (250kg)

(Accepts: CF453) To be used with 45mm Top Rail


QTY	OPTIONS
Each	Standard (250kg Capacity)













## INTRODUCING OUR NEWEST PARTITION SUITE...

## THE 800 SERIES - 100MM (TO SUIT 64MM STUD)

We have redesigned a new suite to cater to the needs of the ever-growing shop fitting and partitions market, with its new and improved robust design our latest addition will surely impress. Our 800 Series is designed 64mm studs application with 13mm plasterboard, While our 900 Series is for 90mm studs. These suites offer a straightforward and effective centre glazing option. Centre glazed is most commonly used glazing option in the market and is by far the easiest to work with for both fabricators and installers alike. These suites have a 14.4mm glazing pocket that can accommodate a wide range of glass options for whatever your project demands. There is also enough clearance within the frame dimensions for the ability to incorporate blinds and other privacy options thanks to the 100.7mm and 131mm framing.

#### Features of our Partition Suite


- Glazing pocket suitable for 6mm to 10mm glass
- Glazing pocket offers flexibility of either a captive wedge or silicone glazing options
- Plasterboard options:

#### 800 Series


- 13mm plasterboard +64mm studs + 13mm plasterboard
- 2x skin 13mm plasterboard + 51mm studs + 13mm plasterboard 900 Series
- 13mm plasterboard +90mm studs + 13mm


#### plasterboard


- Offers Door Stop options to suit 35mm, 38mm and 45mm doors
- Gusset Joining System for both window/door frames and ceiling channel provides cleaner looking joins and seamless mitre intersections.





## 800 SERIES - 100mm (TO SUIT 64mm STUD & 13mm PLASTER)














#### **FRAMES & SILLS**

## **CFP810 - Ceiling Channel (10mm Shadow Line)**

(Accepts: 64mm Stud & 13mm Plaster)

Length Colour

6.5mtr Mill / Natural Anodised / Powdercoated

## **CFP812 - Flat Celing Channel**

(Accepts: 64mm Stud & 13mm Plaster)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

## **CFP811 - Door Frame (With Legs)**

(Accepts: CFP809, CFP807, 64mm Stud & 13mm Plaster)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CFP803 - Window Sill

(Accepts: CFP804 Bead)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CFP801 - Window Frame

(Accepts: CFP809, CFP807)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated


## **CFP805 - Glazing Adaptor**

(Accepts: CFP809, CFP807)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

## 800 SERIES - 100mm (TO SUIT 64mm STUD & 13mm PLASTER)

## **ADAPTOR, BEAD & DOOR STOPS**



#### CFP804 - Sill Bead



Length Colour

6.5mtr Mill / Natural Anodised / Powdercoated




## CFP809 - 35mm Door Stop

(Accepts: CFP801, CFP805, CFP811)

(Accepts: CFH16 & CFH56)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated




## CFP807 - 45mm Door Stop

(Accepts: CFP801, CFP805, CFP811)

(Accepts: CFH16 & CFH56)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated




## **CFP813 - Floor Guide (Mill Finish Only)**

QTY	Colour
EACH	Mill

## 900 SERIES - 131mm (TO SUIT 90mm STUD & 13mm PLASTER)

#### FRAMES, SILLS & ADAPTOR



#### **CFP900 - Window Frame**

(Accepts: CF306, CFP907, CFP909)

(Accepts: CFH014)

Colour Length

6.0mtr Mill / Natural Anodised / Powdercoated



لع


23.9

(Accepts: CF306, CFP907, CFP909, 90mm Stud & 13mm Plaster)

(Accepts: CFH014)

Length Colour

Mill / Natural Anodised / Powdercoated 6.0mtr




13.5

## CFP902 - Ceiling Channel (10mm Shadow Line)

(Accepts: 90mm Stud & 13mm Plaster)

Colour Length

6.0mtr Mill / Natural Anodised / Powdercoated




#### CFP903 - Window Sill

(Accepts: CFP904 Bead)

(Accepts: CFH014)

Colour Length

Mill / Natural Anodised / Powdercoated 6.0mtr




#### CFP904 - Sill Bead

(Accepts: CFP903)

Length Colour

Mill / Natural Anodised / Powdercoated 6.0mtr



#### **CFP905 - Glazing Adaptor**

(Accepts: CF306, CFP900, CFP907, CFP909)


(Accepts: CFH014)


Colour Length


Mill / Natural Anodised / Powdercoated 6.0mtr

## 900 SERIES - 131mm (TO SUIT 90mm STUD & 13mm PLASTER)

#### **DOOR STOPS & POCKET FILLER**







CFP907 - 45mm Door Stop

(Accepts: CFP900, CFP901, CFP905)

(Accepts: CFH16 & CFH56)

Length Colour

Mill / Natural Anodised / Powdercoated 6.5mtr

CFP909 - 38mm Door Stop

(Accepts: CFP900, CFP901, CFP905)

(Accepts: CFH16 & CFH56)

Length Colour

Mill / Natural Anodised / Powdercoated 6.5mtr


CF306 - Pocket Filler

(Accepts: CFP900, CFP901, CFP905)

Colour Length

6.5mtr Mill / Natural Anodised / Powdercoated





Trusted by many of our customers as our longest running partition suite.

## 600 SERIES - 90mm (TO SUIT 64mm STUD & 13mm PLASTER)

### FRAMES, SILLS & ADAPTOR

### **CFP601 - Window Frame**

(Accepts: CFP506, CFP607, CFP609)

Length Colour
6.0mtr

2.75mtr Mill / Natural Anodised / Powdercoated

## CFP602 - Ceiling Channel (10mm Shadow Line)

(Accepts: 64mm Stud & 13mm Plaster)

Length Colour

6.0mtr
2.75mtr

Colour

Mill / Natural Anodised / Powdercoated

## CFP610 - Ceiling Channel (10mm Shadow Line)

(Accepts: 90mm Stud & 13mm Plaster)

Length Colour

6.0mtr
2.75mtr

Colour

Mill / Natural Anodised / Powdercoated

## **CFP611 - Door Frame (With Legs)**

(Accepts: CFP506, CFP607, CFP609)

Length Colour

6.0mtr
2.75mtr

Mill / Natural Anodised / Powdercoated

#### CFP607 - 45mm Door Stop

(Accepts: CFP601, CFP611) (Accepts: CFH16 & CFH56)

Length Colour

6.5mtr Mill / Natural Anodised / Powdercoated

#### CFP609 - 35mm Door Stop

(Accepts: CFP601, CFP611) (Accepts: CFH16 & CFH56)

Length Colour


6.5mtr Mill / Natural Anodised / Powdercoated


#### **CFP506 - Pocket Filler**


(Accepts: CFP601, CFP611)


Length Colour


6.5mtr Mill / Natural Anodised / Powdercoated


















## **SKIRTING & PLANKS**

#### **SKIRTING**

#### FB018 - 80 x 1.6mm Flat Bar






## 100

## FB020 - 100 x 1.6mm Flat Bar




Length	Colour
3.6mtr	Mill / Natural Anodised / Powdercoated

## FB024 - 150 x 1.8mm Flat Bar



Length	Colour
3.6mtr	Mill / Natural Anodised / Powdercoated

## SCAFFOLD PLANKS - 240kg MAX SPAN @ 2.6mtr SUPPORTS



225

## Plank 3 - 3mtr Plank

Length	Colour
3mtr	Mill

## Plank 4 - 4mtr Plank

Length	Colour
4mtr	Mill

## Plank 5 - 5mtr Plank

Length	Colour
5mtr	Mill

#### Plank 6 - 6mtr Plank


Length	Colour
6mtr	Mill

## **ALL PLANKS COMPLETE WITH END CAPS**

## **ANGLES**



# Offered Finishes: Mill / Natural Anodised or Powdercoated



_	۱.	-I.	c -	tin	۸.		1 _ 1	_ 1	
ıĸ	เล	CK	<b>&gt;</b> a	TIN	۱А۱	vai	เลเ	วเ	$\epsilon$

		Powdercoated						
Α		В		Т	PART No	Length	R1	R2
12	х	12	х	1.6	A001	6.5		
12	х	12	х	3.0	A071	6.5		
15	х	15	х	1.6	A064	6.5		
16	х	16	х	1.6	A002	6.5		
20	х	12	х	1.6	A003	6.5		
20	х	20	х	1.6	A005	6.5		
20	Х	20	Х	3.0	A006	6.5		
25	X	12	X	1.6	A007	6.5		
25	х	20	Х	1.6	A009	6.5		
25	х	20	Х	3.0	A035	6.5		
25	х	25	Х	1.6	A010	6.5		
25	х	25	X	3.0	A011	6.5		
32	х	20	X	1.6	A012	6.5		
32	X	25	X	3.0	A013	6.5		
32	X	32	X	1.6	A033	6.5		
32	X	32	X	3.0	A015	6.5		
40	х	12	Х	1.6	A016	6.5		
40	х	20	Х	1.6	A017	6.5		
40	X	20	X	3.0	A040	6.5		
40	X	25	X	1.6	A019	6.5		
40	х	25	X	3.0	A018	6.5		
40	Х	40	X	1.6	A020	6.5		
40	Х	40	X	3.0	A021	6.5		
40	X	40	X	6.0	A022	6.5		
50	х	25	X	1.6	A023	6.5		
50	х	25	X	3.0	A024	6.5		
50	X	50	X	1.6	A025	6.5		
50	X	50	X	3.0	A026	6.5		
50	X	50	X	6.0	A027	6.5		
70	Х	25	X	1.6	A028	6.5		
70	X	40	X	1.6	A029	6.5		
76.2	X	50.8	Х	6.35	A034	5.5		
76	X	76	Х	3.0	A054	6.5		
80	X	80	X	6.0	A031	6.5		
90	X	40	X	1.6	A069	6.5		
100	X	50	X	3.0	A043	6.5		
100	X	50	X	6.0	A037	6.5		4
100	X	100	X	6.0	A032	6.5		
125	X	50	X	3.0	A030	6.5		


Black Satin Available

Anodised ONLY

Black Satin Available

## **RECTANGLE HOLLOW (RHS)**





Offered Finishes:
Mill / Natural Anodised or
Powdercoated

### STOCKED SIZES

STOCKED SIZES									
Н		W		T	PART No	Length	R1	R2	
40	X	25	X	2.5	B005	6.5			
50	X	25	X	3.0	B032	6.5			
60	X	40	X	3.0	B027	6.5			
65	X	16	X	1.4	B073	6.5	3	2	
76.2	X	25.4	Х	2.4	B037	6.5			
80	X	40	X	3.0	B034	6.5			
100	X	25	X	2.5	B033	6.5			
100	X	50	X	1.6	B020	6.5			
100	Х	50	х	3.0	B010	6.5			
150	X	50	Х	3.0	B011	6.5			
150	Х	50	Х	3.0	B124	6.5	2	5	
200	Х	50	Х	3.0	B012	6.5			
250	Х	50	X	3.0	B093	6.5			

Anodised Available

## **OTHER MILL RUN SIZES AVAILABLE ON REQUEST**

4-6 week lead time


Н		W		Т	PART No	Length	R1	R2
50	X	19	X	1.2	E4007	MILL RUN		
50	Х	38	Х	3.0	E0224	MILL RUN		
60	X	20	Х	1.6	E0251	MILL RUN		
60	X	50	Х	3.0	E0449	MILL RUN		
75	Х	15	х	2.0	E2281	MILL RUN		
76.2	Х	38.1	Х	3.2	E0186	MILL RUN		
80	Х	50	х	3.0	E0183	MILL RUN		
100	Х	40	х	2.0	E0229	MILL RUN		
100	Х	50	х	3.0	E3357	MILL RUN	3	
125	Х	50	Х	3.0	E0208	MILL RUN		
150	Х	25	х	2.0	E2755	MILL RUN		
152	Х	76	х	6.0	C13822	MILL RUN	2	6
160	Х	100	х	3.0	C22154	MILL RUN		
200	Х	12	X	3.0	E4372	MILL RUN		
300	Х	50	Х	3.0	C15970	MILL RUN	0.5	0.5
365	Х	100	X	6.0	C8251	MILL RUN		

With centre web

## **SQUARE HOLLOW (SHS)**



Offered Finishes:
Mill / Natural Anodised or
Powdercoated



#### **STOCKED SIZES**

									_
Α		В		T	PART No	Length	R1	R2	
25	Х	25	X	3.0	B003	6.5			
25.4	Х	25.4	Х	1.2	B064	6.5			
32	Х	32	Х	1.6	B013	6.5			
32	Х	32	х	3.0	B014	6.5			
40	Х	40	Х	1.6	B017	6.5			5.4m
40	Х	40	х	3.0	B018	6.5			
50	Х	50	х	1.6	B019	6.5			
50	Х	50	х	3.0	B024	6.5			
65	Х	65	х	2.5	B022	6.5			
100	Х	100	х	3.0	B021	6.5			
									_

3.4mtr also stocked


## **OTHER MILL RUN SIZES AVAILABLE ON REQUEST**

4-6 week lead time

Α		В		T	PART No	Length	R1	R2
12	Х	12	Х	1.6	E8001	MILL RUN		
16	X	16	X	1.2	E4681	MILL RUN	1.6	0.4
19	X	19	X	1.2	E12679	MILL RUN	1	
38	X	38	X	2.0	E9743	MILL RUN		
45	X	45	X	2.5	E22109	MILL RUN		
50	Х	50	X	4.0	E15366	MILL RUN		
60	X	60	X	3.0	E12806	MILL RUN		
62	X	62	X	5.0	E13805	MILL RUN	2	6
75	X	75	X	4.0	E9568	MILL RUN		
80	X	80	X	2.5	E13188	MILL RUN	3	1
90	X	90	X	2.0	E22379	MILL RUN	3	1
100	Х	100	X	6.0	E8009	MILL RUN		
127	Х	127	X	6.35	E5620	MILL RUN	12.70	6.35
150	X	150	X	3.0	E13699	MILL RUN	3	1.6
178	X	178	Х	9.0	E4953	MILL RUN	8	5

## **CHANNEL**





Offered Finishes:
Mill / Natural Anodised or
Powdercoated

## STOCKED SIZES


Α		В		B T		Т	PART No	Length	R1	R2
12	Х	12	Х	1.6	C002	6.5				
16	Х	16	Х	1.6	C004	6.5				
20	Х	20	Х	1.6	C006	6.5				
20	Х	20	Х	3.0	C007	6.5				
25	Х	25	Х	3.0	C010	6.5				
25	X	40	X	3.0	C011	6.5				
32	X	25	X	3.0	C013	6.5				
40	Х	25	Х	3.0	C015	6.5				
40	Х	40	Х	3.0	C023	6.5				
50	Х	25	Х	3.0	C016	6.5				
50	X	50	Х	3.0	C017	6.5				


## OTHER MILL RUN SIZES AVAILABLE ON REQUEST

4-6 week lead time

Α		В		Т	PART No	Length	R1	R2
40	X	60	X	3.0	E0279	MILL RUN		
42.5	X	50	X	3.0	E1974	MILL RUN		
60	Х	32	Х	3.0	E0087	MILL RUN		
80	Х	25	Х	3.0	E0066	MILL RUN		
80	Х	40	Х	3.0	E0044	MILL RUN		
100	X	25	X	3.0	E0099	MILL RUN		
100	Х	40	Х	3.0	E0128	MILL RUN		
100	Х	50	Х	3.0	E0198	MILL RUN		
100	х	50	Х	5.0	E3356	MILL RUN	6	
144	Х	65	Х	6.0	E4362	MILL RUN		

## **FLAT BAR**






### STOCKED SIZES

STOCKED SIZES											
Α		T	PART No	Length							
10	х	3.0	FB001	4.0							
12	х	3.0	FB002	4.0							
16	х	3.0	FB003	4.0							
20	х	1.6	FB005	4.0							
20	х	3.0	FB006	4.0							
20	х	6.0	FB059	4.0							
25	х	1.6	FB007	4.0							
25	х	3.0	FB008	4.0							
25	х	6.0	FB013	4.0							
25	х	10.0	FB041	4.0							
32	х	3.0	FB010	4.0							
32	х	6.0	FB015	4.0							
32	х	10.0	FB038	4.0							
40	х	3.0	FB011	4.0							
40	х	6.0	FB016	4.0							
40	х	10.0	FB022	4.0							
50	х	3.0	FB014	4.0							
50	х	6.0	FB028	4.0							
50	х	10.0	FB029	4.0							
50	х	12.0	FB032	4.0							
60	х	3.0	FB017	4.0							
80	х	1.6	FB018	3.6							
80	х	3.0	FB030	4.0							
80	х	6.0	FB031	4.0							
80	Х	10.0	FB019	4.0							
100	Х	1.6	FB020	3.6							
100	х	3.0	FB021	4.0							
100	х	6.0	FB034	4.0							
100	Х	10.0	FB037	4.0							
150	х	1.8	FB024	3.6							

Available in Black Satin & White

## **SHEET**

Offered Finishes:
Mill / Natural Anodised or
Powdercoated



# #

#


#### # Available in 5005 & 5052

W		L		Т	PART No.
900	х	1800	Х	1.2	MISC
900	Х	1800	Х	1.6	MISC
900	Х	1800	Х	2.0	MISC
900	х	1800	х	2.5	MISC
900	х	1800	х	3.0	SHEET45
900	х	2400	х	3.0	SHEET58
1200	х	2400	Х	1.2	SHEET05
1200	X	2400	X	1.6	SHEET01
1200	X	2400	X	2.0	SHEET09
1200	Х	2400	Х	2.5	SHEET24
1200	Х	2400	Х	3.0	SHEET11
1200	Х	2400	Х	4.0	SHEET23
1200	Х	2400	Х	5.0	SHEET17
1200	Х	2400	X	6.0	SHEET32
1200	X	3000	X	1.6	SHEET16
1200	X	3000	X	2.0	SHEET08
1200	X	3000	X	3.0	SHEET03
1200	X	3600	X	1.2	SHEET04
1200	X	3600	X	1.6	SHEET74
1200	X	3600	X	2.0	SHEET06
1200	X	3600	X	3.0	SHEET10
1500	X	2400	X	2.0	SHEET50
1500	Х	2400	х	2.5	SHEET39
1500	X	2400	X	3.0	MISC
1500	X	3000	X	1.6	SHEET48
1500	X	3000	X	2.0	SHEET14
1500	X	3000	X	2.5	SHEET72
1500	X	3000	X	3.0	SHEET35
1500	X	3600	X	2.0	SHEET51

TREAD PLATE ALSO AVAILABLE UPON REQUEST




## MILL RUN LOUVRES & SHROUDS ALSO AVAILABLE





## MILL RUN LOUVRES & SHROUDS ALSO AVAILABLE



#### **OUICK FIND INDEX**

QUICK FIND INDEX												
PRODUCT	PAGE		PRODUCT	PAGE		PRODUCT	PAGE		PRODUCT	PAGE		
ANGLES	130		CF175	78		CF421	110		CF607	54		
BW400	3,11,25,36		CF176	78		CF422	110		CF616	54		
BW401	37		CF177	79		CF423	38		CF630	17,56,83		
BW402	36		CF241	86		CF424	110		CF637	18,56,83		
BW404	37,53		CF242	86		CF425	38		CF652	91		
BW418	42		CF243	93		CF426	105		CF658	18,56,83		
BW427	38		CF244	93		CF428	38		CF669	56,83		
BW436	37		CF246	86		CF429	54,110		CF685	54,79,92		
BW444	37,53		CF247	86		CF430	17,48,74		CF701	11,43		
BW601	53		CF248	88		CF431R	17,48,74		CF701L	44		
BW602	53		CF249	88		CF432	39		CF702	43		
BW627	54		CF250	94		CF433	39		CF702L	44		
CF001	104		CF251	87		CF435	99		CF703	43		
CF002	104		CF252	87		CF437	18,47,73		CF703L	44		
CF003	104		CF252HD	87		CF438	50,76		CF704	43,55		
CF004	104		CF253	93		CF439	50,76		CF704L	44		
CF005	104		CF254	93		CF441	110		CF706	43,55		
CF015	113		CF256	93		CF445	111		CF707	43		
CF016	98,100,113		CF257	93		CF446	110		CF7124	39		
CF017	113		CF259	87		CF447	110		CF716	44		
CF017	113		CF260	94		CF449	111		CF717	44		
CF021	107		CF261	89		CF450	3,11,37		CF718	45		
CF022	107		CF277	89		CF4515	100		CF727	45		
CF023	107		CF289	87		CF4516	39		CF728	45		
CF024	107		CF290	87		CF4517	100		CF751	46		
CF025	107		CF291	87		CF453	111		CF752	46		
CF101CW	66		CF291 CF292	88		CF454	111		CF7528	46		
CF102CW	66		CF301	3,58		CF455	111		CF7526	46		
CF102CW	66,77		CF301 CF302	58		CF457	18,47,56,73,83,89		CF753	46		
CF105	66		CF303	58		CF458	18,47,73		CF772	45		
CF106	66,77		CF304	58		CF460H	99		CF8131	42		
CF100	66,79		CF304	58,61		CF461	111		CF907	103		
CF107 CF108CW	67		CF305	58,126		CF461 CF462	17,48,74		CF907 CF908	103		
CF109CW	67		CF300 CF307	59		CF462N	17,49,75,89		CF908 CF909	103		
CF109CW CF110CW	67		CF307 CF316	59		CF462N CF463N	49,75		CF909 CF910	103		
CF110CW	67,71,79,81		CF318	59		CF466	49,73		CF910 CF911	103		
CF111	69			60		CF467	40		CF911 CF912	103		
			CF330				1					
CF114CW	67		CF332	59		CF468	50,76		CF917	106		
CF114CW	67		CF337	60		CF469	50,76		CF918	106		
CF116	68,79		CF351	60		CF470	38		CF919	106		
CF117	69		CF403	36		CF471	40		CF920	106		
CF125	68		CF403B	36		CF472	37		CF921	106		
CF126	68		CF405	36,46,53,69,86		CF473	41		CF922	106		
CF127CW	68		CF406	16,38,54		CF475	98		CF931	108		
CF128CW	68		CF407	39		CF475B	98		CF932	108		
CF156	68,79		CF411	105		CF477	18,47,73		CF933	108		
CF161CW	77		CF412	105		CF478	50,76		CFH110	120		
CF162CW	77		CF413	105		CF479	89		CFH110	32		
CF164CW	77		CF414	99,105		CF480	89		CFH111	32		
CF165	77		CF415	98		CF483	86		CFH113	31		
CF169CW	78		CF415B	98		CF484	40		CFH114	31		
CF170CW	78		CF416	38		CF485	40		CFH115	20		
CF171CW	79		CF417	98,100,113		CF486	41		CFH116	21		
CF173CW	78		CF420	17,48,74		CF488	41		CFH118	21		
CF174CW	78		CF420HD	48,74		CF603	53		CFH117	21		
CF174CW	78		CF421	110		CF630	17,55,83		CFH122	20		

QUICK FIND INDEX											
PRODUCT	PAGE		PRODUCT	PAGE		PRODUCT	PAGE		PRODUCT	PAGE	
CFH119	20		CHANNEL	133		RA200	3		RSD508	25	
CFH120	20		DG101	70		RA261	90		RSD509	27	
CFH121	20		DG105	71		RA262	90		RSD510	29	
CFH122	20		DG106	70,82		RA265	77,80,90		RSD511	27	
CFH123	22		DG107	72,82		RA266	90		RSD512	29	
CFH124	19		DG108	70		RA267	90		RSD513	27	
CFH18	20		DG109	70		RA268	91		RSD514	29	
CFH19	120		DG110	71		RA271	91		RSD515	25	
CFH20	120		DG112	70		RA272	91		RSD520	27	
CFH29	19		DG113	70,80		RA276	91		RSD523	29	
CFH3	99		DG114	70		RA278	92		RSD524	24	
CFH30	3		DG116	72,82		RA279	92		RSD525	24	
CFH37	8		DG127	71		RA280	92		RSW301	2	
CFH38D	8		DG128	71		RA281	92		RSW302	2	
CFH40	8		DG156	72,82		RAD105	12		RSW401	2	
CFH43	109		DG161	80		RAD106	12		RSW402	2	
CFH453EC	111		DG164	80		RAD107	12		RSW403	2	
CFH50	100		DG167	80		RAD108	12		RSW404	2,25	
CFH6	109		DG168	80		RAD109	15		RSW406	4,26	
CFH80	31		DG169	81		RAD110	15		RSW407	5,28	
CFH81	31		DG170	81		RAD111	15		RSW408	4,26	
CFH90	19		DG171	81		RAD112	12		RSW409	5,28	
CFH91	19		DG172	80		RAD113	14		RSW410	4,26	
CFH92	19		DG201	81		RAD114	14		RSW411	5,28	
CFH93	19		DG311	61		RAD115	16		RSW412	4,26	
CFH95	30		DG312	61		RAD116	16		RSW413	5,28	
CFH96	20		DG313	61		RAD117	14		RSW414	4,26	
CFH97	8		DG314	61		RAD118	14		RSW415	5,28	
CFH98	22		DG315	61		RAD120	13		RSW416	4,27	
CFH99	22		DG316	62		RAD121	13		RSW417	5,29	
CFP506	128		DG317	62		RAD122	13		RSW418	4,26	
CFP601	128		DG318	62		RAD123	13		RSW419	5,28	
CFP602	128		DG601	55		RAD124	15		RSW420	3	
CFP607	128		DG602	55		RAD125	15		RSW421	3,27	
CFP609	128		DG603	55		RAD126	15		RSW422	3	
CFP610	128		DG627	55		RAD127	13		RSW423	3	
CFP611	128		FB018	129		RAD128	14		SEALS	118	
CFP801	123		FB020	129		RAD129	14		SHEET	135	
CFP803	123		FB024	129		RAD130	11		SHROUDS	136,137	
CFP804	124		FLAT BAR	134		RAD131	11		SHS	132	
CFP805	123		FOAM TABS	21		RAD131	10		WEDGES	116,117	
CFP807	124		H/WARE	121		RAD401 RAD402	10		25 015	110,117	
CFP809	124		LF001	114		RAD402 RAD404	10				
CFP810	123		LF436	115		RAD404 RAD601	10				
CFF810 CFP811	123		LV001	113		RAD601	10				
CFF811 CFP812	123		LV001 LV050	114		RAD602	11				
CFF812 CFP813	123		LV050 LV051	114		RAD603	10				
CFP900	125		LV100	115		RHS	131				
CFF 900	125		LV100 LV101	115		RSD501	24				
CFF901 CFP902	125		LV7049	113		RSD502	24				
CFF 902 CFP 903	125		LV7049 LV7061	114		RSD502	24				
CFP903 CFP904	125		LV9517	115		RSD503	24				
CFP904 CFP905	125		MOHAIR	119		RSD504 RSD505	25				
CFP903 CFP907	125		PLANKS	129		RSD505	25				
CFP907 CFP909				16			25				
	126		RA131			RSD507					
DG107	72,82		RA267	90		RSD514	29				

For more information and availability, please contact our office.

RAPID ALUMINIUM 27-29 Nathan Road Dandenong South VIC 3175

PH: +61 3 9792 0344

FAX: +61 3 9792 4954

