
RAPID ALUMINIUM

PRODUCT & SYSTEMS CATALOGUE



JULY 2022



RAPID ALUMINUM

The experts in aluminium profiles & extrusions Industry preferred aluminium supplier for both quality and service.

MELBOURNE (Head Office) 27 Nathan Road Dandenong VIC 3175

PH: (03) 9792 0344 FAX: (03) 9792 4954

Email: sales@rapidal.com.au



POWDERCOATING - MINIMUM INVOICE

ALL Powdercoat orders with a total order value under \$1,000+gst will incur a min surcharge fee. This fee will be at the discretion of Rapid Aluminium based on the availability and price of the powder required to complete the order.

For further pricing information contact the sales team.

20 year powder coating warranty now available



ANODISED & MILL FINISH MATERIAL

ALL Anodised and Mill Finish orders placed with Rapid Aluminium for PICKUP must be ordered with at least 24hrs of notice prior to pick up required.

CUTTING SERVICE

A fee of \$6.50+gst per cut applies. Please advise us via email if this service is required prior to pick up of goods/order. (Phone instructions will not be accepted) The cutting service is ONLY for "docking" the material and is NOT millimetre perfect. This service will not be provided after the order transaction is complete.

CONDITIONS OF SALE

All goods sold by Rapid Aluminium to the purchaser shall remain the absolute property of Rapid Aluminium and no right, title or transfer of interest of any kind shall transfer to the purchaser until payment in full is made to Rapid Aluminium in respect of the goods. (PRICES ARE SUBJECT TO CHANCE WITHOUT PRIOR NOTICE)

If it becomes necessary to institute legal proceedings to recover unpaid debts to Rapid Aluminium, all discounts showing on unpaid invoices become null and void and the total list price becomes payable. Full Terms and Conditions of Sale appear on the reverse of all invoices (see over).

RETURNS / CREDIT CLAIMS

- Goods being returned will not be accepted without prior approval from management at Rapid Aluminium.
- Invoice number, PO number and date are required on all claims.
- Freight costs on returned goods must be paid by the sender.
- All claims for loss, damage, shortages or price differences must be made within 7 days after invoice.
- Custom made or specially ordered goods are NON-RETURNABLE and NON-REFUNDABLE.

DELIVERY SERVICE

A delivery service is available – please enquire on the cost when placing your order.



MANUFACTURING & ESTIMATING SOFTWARE SUPPORT

We are proud to announce that the RAPID ALUMINIUM PROFILES are now supported by LOGIKAL by ORGADATA. We are excited to show you what it can do and how it can help improve your business in more ways than you think. LOGIKAL is the best software for windows, doors & curtain wall systems in the market today.

It is the software solution you have been waiting for... Estimating projects made easy, with a user-friendly layout and an intuitive user interface that will surely be welcomed by learners regardless of age and background. It's going to be easy and quick to Quote, Order, Produce and create Shop drawings with LOGIKAL.



KEY BENEFITS & FEATURES

- Estimating Quote with ease and present pricing to your client with your very own personalised Quote report.
- Fabrication reports Produce professional detailed and accurate information for assembling and cutting with a simple click of a button. All reports are customizable to your own needs & requirements.
- CNC connection (coming soon) Pre-program and customize CNC data communicated directly to your CNC machinery,
 improving efficiency, saving you time & money not to mention avoiding costly errors.
- Structural Analysis You get to define profiles to be used in different scenarios and see how design changes affect your Elevation
 in real-time.
- Shop Drawing Gives you the ability to produce detailed cross-sectional Shop drawings automatically generated from your selected items.
- Measure on site with App Bring your project to your phone or tablet, change sizes and send the information back to LogiKal.
 Project changes are automatically updated in real-time.




For more information send an email to info@orgadata.com.au or contact your support team at RAPID ALUMINIUM





ALL NEW SLIDING WINDOW

ALL NEW SEMI-COMMERCIAL SLIDING DOOOR




- NEW & IMPROVED commercial apartment sliding door
- ALL NEW Semi-commercial sliding door
- > 76x35 double glazed centre glazed (ALL NEW SYSTEM)
- > Commercial sliding window (to suit 101.6 & 76mm frame)
- > New bi-fold system in single & double glazed soon to be released
- Boxed flyscreen adapters
- All new fixing reveal adapters
- > 50mm glazing pocket double glazed centre glazed 750 series 101.6x50

And many more new sections inside the catalogue......




























































| | INSERTIONS - 900 DOOR SERIES SINGLE GLAZE 44mm | | | | | | | |
|------|---|-----------------------------|---------------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|------|
| PAGE | | | | | | | | PAGE |
| 103 | CF907 SG Plain Stile | CF908 SG Sliding Stile | CF909 SG Hinge | | F910 ock Stile | CF911 SG Meeting Stile | CF912 SG Pivot Stile | 103 |
| 104 | CF001 SG Wide Sliding Stile | CF002 SG Wide Hinge Stil | CF003 SG Wide Loo | | F004 le Pivot Stile | CF005 SG Wide Plain Stile | | 104 |
| 105 | CF411 SG Top Rail | CF412 SG Bottom Rail | CF413 SG 123mm | | CF414 SG Rail Bead | CF426 SG 45mm Rail | | 105 |
| | INSERTIONS - 900 DOOR SERIES DOUBLE GLAZED 44mm | | | | | | | |
| 106 | CF917 DG Plain Stile | CF918 DG Sliding Stile | CF91 DG Hinge | | CF920 .ock Stile | CF921 DG Meeting Stile | CF922 DG Pivot Stile | 106 |
| 107 | CF021 DG Sliding Stile | CF022 DG Hinge Stile | CF02 DG Lock S | | CF024 Pivot Stille | CF025 DG Plain Stile | | 107 |
| 108 | CF931 DG Top Rail | CF932 DG Bottom Rail | CF93 | 3 4 | SF061 OG Door Bead | | | 108 |
| | DOOR & GLAZING CHANNELS MIISCELLANEOUS | | | | | | | |
| 110 | CF421 Sliding Door Track Insert | CF422 Door Floor Guide | CF424 Sliding Door Guide | CF429 Plant on Door Stop | CF441 Sliding Interlock Ad | CF446 Sliding Guide/Receiv | CF447 Guide/Receiver Cover | 110 |
| 111 | CF445 Plant on Single Track | Me | CF455 eeting Stile laptor | CF461 Top Track | CF453 114mm Overhead | Overhead | End Cap CFH453EC | 111 |
| 113 | CF015 2 Piece Channel Base 2 | CF016 Piece Channel Bead | CF017 24mm Glazing Channel | CF018 50mm 2 Piece Channel | CF417 2 Piece Channel I | Bead | | 113 |


Look for this sticker for new exciting products. For ETA information & availability contact your sales team at RAPID ALUMINIUM





| | LOUVRES | | | | |
|------|--|------|--|--|--|
| PAGE | LOUVRES | PAGE | | | |
| 114 | LV001 LF001 S0mm Louvre Frame LV7061 Clip on Louvre Clip | 114 | | | |
| 115 | LV9517 LF436 LV100 LV101 Substation Louvre Narrow Plain Frame 100mm Louvre 100mm Louvre Frame | 115 | | | |
| | PARITIONING - 800 SERIES: 100mm (TO SUIT 64mm STUD) | | | | |
| 123 | CFP810 Ceiling Channel CFP812 Flat Ceiling Channel CFP803 Window Sill CFP803 Window Frame CFP805 Glazing Adaptor | 123 | | | |
| 124 | CFP809 35mm Door Stop CFP804 Sill Bead | 124 | | | |
| | PARITIONING - 900 SERIES: 131mm (TO SUIT 90mm STUD) | | | | |
| 125 | CFP900 Window Frame CFP901 CFP902 Celling Channel Window Sill Sill Bead CFP904 Sill Bead CFP905 Glazing Adaptor | 125 | | | |
| 126 | CFP907 45mm Door Stop CF909 38mm Door Stop CF306 Pocket Filler | 126 | | | |
| | PARITIONING - 600 SERIES: 190mm (TO SUIT 64mm STUD) | | | | |
| 128 | CFP601 CFP602 CFP610 CFP611 CFP607 CFP609 CFP506 Pocket Filler | 128 | | | |


76mm Commercial Sliding Window

101.6mm Commercial Sliding Window










HEADS, SILL TRACKS & RECEIVER



RSW401 - 101.6mm Window Head

(Accepts: BW404, BW444, CF405, CF470, CF704, CF704L, ALL 4"

Fixing Adaptors & Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




(Accepts: ALL 4" Frame Sills)

(Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




RSW403 - 101.6mm Closed Sill

(Accepts: BW404, BW444, CF405, CF470, CF704, CF704L, ALL 4"

Fixing Adaptors & Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




RSW404 - 101.6mm Double Receiver Channel

(Accepts: CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW301 - 76mm Window Head

(Accepts: CF304, CF305, CF351, DG314)

(Accepts: CFH81)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




RSW302 - 76mm Window Sill

(Accepts: CF304, CF305, CF351, DG314)

(Accepts: CFH81)

Length Offered Finishes

JAMBS, INFILLS & FLYSCREEN ADDITIONS



BW400 - Standard Frame (101.6mm Jamb Option)

(Jamb to be used with RSW404 & CF406

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



(Accepts: CF405, CF406, CF470, RAD131)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF301 - 76mm Frame (76mm Jamb Option)

(Jamb to be used with RSW404 & CF306)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RSW420 - Fly Screen Adaptor

(Accepts: RSW301, RSW302 RSW401, RSW402, RSW403, RSW404)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW421 - Flat Filler

(Accepts: RSW301, RSW302 RSW401, RSW402, RSW403, RSW404)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW422 - Fly Screen Adaptor

(Face fix to RSW421)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW423 - Clip In Receiver

(Clips into BW400 series pockets & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RA200 FLYSCREEN




CFH30 CRNR STAKE





SINGLE GLAZE STILES & RAILS TO SUIT 6mm - 12.76mm GLASS







35.









RSW408 - SG Lock Stile (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

RSW410 - SG Standard Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

RSW412 - SG Boxed Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

RSW406 - SG Rail (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

RSW418 - SG Male Meeting Stile (16mm Pocket)

(Accepts: CFH96, 6mm to 12.76mm Glass)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 5.4mtr

RSW414 - SG Female Meeting Stile (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

RSW416 - SG Med Boxed Female Meeting Stile


(Accepts: CFH80, 6mm to 12.76mm Glass)


Offered Finishes Length


Mill / Natural Anodised / Powdercoated 5.4mtr


DOUBLE GLAZE STILES & RAILS TO SUIT 20mm IGU'S


8.00














RSW409 - DG Lock Stile

(Accepts: 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSW411 - DG Standard Interlock

(Accepts: CFH80 & 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSW413 - DG Boxed Interlock

(Accepts: CFH80 & 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSW407 - DG Rail

(Accepts: 20mm IGU)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated

RSW419 - DG Male Meeting Stile

(Accepts: CFH96, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSW415 - DG Female Meeting Stile

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated


RSW417 - DG Med Boxed Female Meeting Stile


(Accepts: CFH80, 20mm IGU)


Length Offered Finishes

HARDWARE ITEMS (RUBBERS)

CFH90 - 6mm-6.76mm Glazing Channel









| CFH91 - 8mm-8.38mm | Glazing | Channel |
|--------------------|---------|---------|
|--------------------|---------|---------|

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH92 - 10mm-10.76mm Glazing Channel

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH93 - 12mm-12.76mm Glazing Channel

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH94 - 20mm Glazing Channel

| Length | Colour |
|--------|--------|
| 80mtr | Black |



CFH95 - Drain Flap

| Length | Colour |
|--------|--------|
| 300mtr | Black |





| Length | Colour |
|--------|--------|
| 300mtr | Black |

HARDWARE ITEMS (MOHAIR & ACCESSORIES)

CFH80 - 6.7 x 4.25 x 4.25 Finseal



| Length | Colour |
|--------|--------|
| 450mtr | Black |

CFH81 - 6.7 x 5.5 x 5.75 Finseal



| Length | Colour |
|--------|--------|
| 400mtr | Black |

CFH113 - Boxed Interlock End Cap (Top & Bottom)



| QTY | Colour |
|--------------|--------|
| 10pr per bag | Black |

CFH18 - 10mm Hole Plug




| QTY | Colour |
|-------------|--------|
| 100 per bag | Black |

CFH115 - Drain Slot Plugs




| QTY | Colour |
|---------------|--------|
| 50pcs per bag | Black |

CFH110 - Fixed Panel Blocks (Left & Right)



| QTY | Colour |
|--------------|--------|
| 20pr per bag | Black |

CFH111 - Sliding Panel Face Blocks (Left & Right)



| QTY | Colour |
|--------------|--------|
| 20pr per bag | Black |

HARDWARE ITEMS & ACCESSORIES

CFH38D - 80kg Double Wheel Roller

(2 per moving sash)

QTY

EACH

CFH37 - 40kg Single Wheel Roller

(2 per moving sash)

QTY

EACH



(2 per fixed sash)

QTY

EACH

CFH97 - Sliding Window Lock (Keyed)

(1 per door)

QTY

EACH













101.6mm Apartment Door




150mm Apartment Door











OUR NEW 30.5mm LOW PROFILE SILL TRACK IS AVAILABLE IN BOTH 100mm & 150mm SYSTEMS.

















HEAD & SILL TRACKS

RAD401 - Head Track (Double)

(Accepts: BW404, BW444, CF405, CF470, RAD115 & ALL 4" Fixing

(Accepts: CFH122) Reveals)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

RAD402 - Sill Track 50mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated

RAD404 - Sill Track 30mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

RAD601 - Head Track (Triple)

(Accepts: RA265, RAD115)

(Accepts: CFH122)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

RAD602 - Sill Track 55mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr


RAD604 - Sill Track 30mm (Slotted)


(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr





JAMBS

BW400 - Standard Frame (101.6 x 44.4)

(Accepts: BW404, BW444, CF405, CF406, CF470, RAD131 & ALL 4" Fixing Reveal Adaptors)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

CF450 - 33mm Std Frame (101.6 x 33)

(Accepts: CF405, CF406, CF470, RAD131)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated


101.6 76.2

RAD603 - 150mm Plain Jamb (150 x 33)

(Accepts: RA265) To be used with RAD130

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr






CF701 - STD Main Frame DG (101.6 x 44.4)

(Accepts: BW404, BW444, CF405, CF470, CF704, CF706 & ALL 4"

Fixing Reveal Adaptors) CF706 + RAD130 required

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



43

52 43

RAD130 - Jamb Receiver

(To be face fixed to flat jambs)

(Accepts: CFH121)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

RAD131 - Clip in Jamb Receiver

(To be used with BW400 & CF450)

(Accepts: CFH121)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

SINGLE GLAZED STILES & RAIL (16mm POCKET)


RAD105 - SG 72mm Plain Stile

72

(Accepts: 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD106 - SG Std Interlock

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD107 - SG Medium Boxed Interlock

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD108 - SG HD Boxed Interlock

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD112 - SG 60mm Rail

(Accepts: 6mm-12.76mm Glass)

Length Offered Finishes

DOUBLE GLAZED STILES & RAIL (30mm POCKET)


RAD120 - DG 72mm Plain Stile



(Accepts: 24mm-26mm IGU)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD121 - DG Std Interlock

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD122 - DG Medium Boxed Interlock

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD123 - DG HD Boxed Interlock

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD127 - DG 60mm Rail

(Accepts: 24mm-26mm IGU)

Length Offered Finishes

BEADED RAIL AND CORNER STILES



RAD113 - SG 60mm Beaded Rail

(Accepts: RAD114 Bead & 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RAD114 - SG Bead

(Accepts: RAD113 SG Rail)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD128 - DG 60mm Beaded Rail

(Accepts: RAD129 Bead & 24mm-26mm IGU)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD129 - DG Bead

(Accepts: RAD128 DG Rail)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD117 - 71mm SG Corner Stile

(Accepts: RAD110 Female Stile & 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD118 - 71mm DG Corner Stile

(Accepts: RAD125 Female Stile & 24mm-26mm Glass)

Length Offered Finishes

MALE & FEMALE STILES SG & DG (BI-PARTING)

72 98 88

RAD109 - SG 72mm Male Stile

(6mm-12.76mm Glass) (Accepts: CFH96)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD110 - SG Female Stile


(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length

Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD111 - SG H/D Boxed Female Stile


(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length

Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD124 - DG 72mm Male Stile


(Accepts: 24mm-26mm IGU)

(Accepts: CFH96)

Length

Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RAD125 - DG Female Stile

(Accepts: 24mm-26mm IGU)


(Accepts: CFH121)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



30

RAD126 - DG H/D Boxed Female Stile

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length

Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

FLAT FILLERS, THRESHOLDS & ADAPTORS

RAD115 - Flat Filler (Head Track)



Accepts: RAD130, RAD131, RAD401, RAD601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


50

RAD116 - Threshold

(Accepts: RAD402, RAD404, RAD602, RAD604)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA131 - OXO Adaptor

(To be used with F/S/F doors)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated




CF406 - Pocket Filler

(To be used with BW400 & CF450)

Length Offered Finishes



SUBHEADS & SUB JAMBS



15.5

48.0

CF437 - Standard Subhead (110mm x 49mm)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF458 - 2 Piece Subhead (115mm x 50mm)

(Accepts: CF457)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF457 - 2 Piece Subhead Cover (Pressure Bead)

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF477 - Heavy Duty Subhead (113mm x 40mm)

(Accepts: 101.6mm Frames) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

40.0


113.0 -

CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF658 - 150mm Subhead 2 Piece


(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH5 Mullion Seal)

Length


Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




HARDWARE ITEMS (GLAZING CHANNEL)

CFH90 - 6mm-6.76mm Glazing Channel









| CFH91 - 8 | 8mm-8.38mn | n Glazing | Channel |
|-----------|------------|-----------|---------|
|-----------|------------|-----------|---------|

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH92 - 10mm-10.76mm Glazing Channel

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH93 - 12mm-12.76mm Glazing Channel

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH29 - 24mm-25mm Channel

| Length | Colour |
|--------|--------|
| 50mtr | Black |



CFH124 - 26mm Channel

| Length | Colour |
|--------|--------|
| 50mtr | Black |

HARDWARE ITEMS (MOHAIR & ACCESSORIES)

CFH121 - 6.9 x 6.5 FP Finseal



| Length | Colour |
|--------|--------|
| 350mtr | Black |

CFH122 - 6.9 x 6.5 HI Finseal




| Length | Colour |
|--------|--------|
| 250mtr | Black |

CFH96 - Male/Female Bulb Seal




| QTY | Colour |
|--------|--------|
| 200mtr | Black |

CFH119 - Med Box End Cap (Med Interlock)



(Top & Bottom = 1pr)
QTY Colour
10pr per bag Black

CFH120 - Large Box End Cap (Large interlock)



(Top & Bottom = 1pr)

QTY Colour

10pr per bag Black

CFH18 - 10mm Hole Plug



| QTY | Colour |
|-------------|--------|
| 100 per bag | Black |

CFH115 - Drain Slot Plug



| QTY | Colour |
|------------|--------|
| 50 per bag | Black |


HARDWARE ITEMS (ACCESSORIES)

CFH118 - Threshold / Header Filler Rubber End Stop

(Accepts: RAD115 & RAD116)

QTY Colour


Black 50 per bag



CFH116 - Fixed Panel Blocks (Left & Right)

(1 x pair = top & bottom of fixed panel)

QTY Colour Black 20 prs per bag



CFH117 - Sliding Panel Blocks (Left & Right)

(1 x pair = top & bottom of fixed panel)

QTY Colour 20 prs per bag Black



CFH38D - 80kg Double Wheel Roller

(2 per moving sash)

QTY

Each



CFH37 - 40kg Single Wheel Roller

(2 per moving sash)

QTY

Each



CFH40 - Fixed Panel Adjustment Block

(2 per fixed sash)

QTY

Each




FOAM TABS

CFH104 = RAD402 / CFH108 = RAD401 / CFH109 = RAD601 & 602

QTY PER ROLL

CFH104 = 980pcs / CFH108 = 890pcs / CFH109 = 890pcs



HARDWARE ITEMS (ACCESSORIES)



CFH98 - D Lock Sliding Door Handle

| QTY | Colour |
|------|--------|
| EACH | Black |



CFH99 - Slimline Sliding Door Handle

| QTY | Colour |
|------|--------|
| EACH | Black |





CFH123 - Packer


| QTY | Colour |
|------|--------|
| EACH | Black |


101.6mm Semi-Commercial Door

165mm Semi-Commercial Door










HEAD, SILL TRACK & SUBFRAME




RSD501 - 101.6mm Head Track

(Accepts: BW404, BW444, CF405, CF470, RSW421 & ALL 4" Fixing

Reveals) (Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RSD502 - 101.6mm Sill Track

(Accepts: RSD520, RSW406, RSW407)

(Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RSD503 - 165mm Head Track

(Accepts: BW404, BW444, CF105, CF405, CF470, RSW421 & ALL 4"

Fixing Reveals) (Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RSD504 - 165mm Sill Track

(Accepts: RSD520, RSW406, RSW407)

(Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RSD524 - 165mm 2 Part Subhead

(USE CF457 BEAD & Accepts: RSD503)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RSD525 - 165mm Subsill

(Accepts: RSD504)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



JAMBS

BW400 - Standard Frame

(Accepts: CF406 + RSW404)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

RSW404 - 101.6mm Double Receiver Channel

(Accepts: BW400 with CF406 & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



RSD505 - 165mm Jamb

(Accepts: CF105, CF405, RSD506, RSD507)

Length Offered Finishes

5.5mtr Mill / Natural Anodised / Powdercoated




RSD506 - 165mm Jamb Receiver

(Accepts: RSD505 & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



RSD507 - 165mm Jamb Double Flyscreen Receiver

(Accepts: RSD505)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSD508 - 101.6mm Jamb Single Flyscreen Receiver

(Accepts: 101.6mm Jambs)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



RSD515 - Clip In Receiver

(Clips into BW400 series pockets & accepts CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

SINGLE GLAZE STILES & RAILS TO SUIT 6mm - 12.76mm GLASS

RSW408 - SG Lock Stile (16mm Pocket)

8.08

35.3

70.1



5.4mtr Mill / Natural Anodised / Powdercoated

RSW410 - SG Standard Interlock (16mm Pocket)

44.8



(Accepts: CFH80, 6mm to 12.76mm Glass)

Length

Offered Finishes

5.4mtr

Mill / Natural Anodised / Powdercoated

RSW412 - SG Boxed Interlock (16mm Pocket)


(Accepts: CFH80, 6mm to 12.76mm Glass)

Length

Offered Finishes

5.4mtr

Mill / Natural Anodised / Powdercoated



RSW406 - SG Rail (16mm Pocket)


(Accepts: 6mm to 12.76mm Glass)

Length

Offered Finishes

5.1mtr

Mill / Natural Anodised / Powdercoated



RSW418 - SG Male Meeting Stile (16mm Pocket)


(Accepts: CFH96, 6mm to 12.76mm Glass)

Length

Offered Finishes

5.4mtr

Mill / Natural Anodised / Powdercoated



RSW414 - SG Female Meeting Stile (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)


Length

Offered Finishes

5.4mtr

Mill / Natural Anodised / Powdercoated

SINGLE GLAZED STILES, FLYDOOR INTERLOCKS & FILLERS




RSW416 - SG Med Boxed Female Meeting Stile

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




RSD513 - SG HD Boxed Female Meeting Stile

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




RSD509 - SG Fly Door Std Interlock

(Accepts: CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




RSD511 - SG Fly Door HD Interlock

(Accepts: CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr



RSW421 - Flat Filler

(Accepts: RSD501, RSD503, RSD506)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr



RSD520 - Threshold




(Accepts: RSD502, RSD504)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated

DOUBLE GLAZE STILES & RAILS TO SUIT 20mm IGU'S


RSW409 - DG Lock Stile



(Accepts: 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW411 - DG Standard Interlock

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW413 - DG Boxed Interlock

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW407 - DG Rail

(Accepts: 20mm IGU)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




RSW419 - DG Male Meeting Stile

(Accepts: CFH96, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




RSW415 - DG Female Meeting Stile


(Accepts: CFH80, 20mm IGU)


Length Offered Finishes


5.4mtr Mill / Natural Anodised / Powdercoated

DOUBLE GLAZED STILES & FLYDOOR INTERLOCKS TO SUIT 20mm IGU'S









RSW417 - DG Med Boxed Female Meeting Stile

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSD514 - DG HD Boxed Female Meeting Stile

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSD510 - DG Fly Door Std Interlock

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSD512 - DG Fly Door HD Interlock

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

RSD523 - FSF Flyscreen Adaptor


(Accepts: Boxed Interlock)

Length Offered Finishes


5.4mtr Mill / Natural Anodised / Powdercoated

HARDWARE ITEMS (RUBBERS)

CFH90 - 6mm-6.76mm Glazing Channel




| Length | Colour |
|--------|--------|
| 80mtr | Black |




| CFH91 - 8mm-8.38mm Gla | azing Channe |
|------------------------|--------------|
|------------------------|--------------|

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH92 - 10mm-10.76mm Glazing Channel

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH93 - 12mm-12.76mm Glazing Channel

| Length | Colour |
|--------|--------|
| 100mtr | Black |



CFH94 - 20mm Glazing Channel

| Length | Colour |
|--------|--------|
| 80mtr | Black |



CFH95 - Drain Flap

| Length | Colour |
|--------|--------|
| 300mtr | Black |



CFH96 - Male Bulb Seal

| Length | Colour | |
|--------|--------|--|
| 300mtr | Black | |

HARDWARE ITEMS (FIN SEALS & ACCESSORIES)

CFH80 - 6.7 x 4.25 x 4.25 Finseal



| Length | Colour |
|--------|--------|
| 450mtr | Black |

CFH81 - 6.7 x 5.5 x 5.75 Finseal



| Length | Colour |
|--------|--------|
| 400mtr | Black |

CFH113 - Boxed Interlock End Cap (Top & Bottom)



| QTY | Colour |
|--------------|--------|
| 10pr per bag | Black |

CFH114 - Large Boxed Interlock End Cap (Top & Bottom)

| QTY | Colour | |
|--------------|--------|--|
| 10pr per bag | Black | |

CFH18 - 10mm Hole Plug



| QTY | Colour |
|--------------|--------|
| 10pr per bag | Black |

CFH115 - Drain Slot Plugs



| QTY | Colour |
|---------------|--------|
| 50pcs per bag | Black |


FOAM TABS



CFH104 = RSD501 / CFH105 = RSD502 / CFH106 = RSD503 CFH107 = RSD504

QTY PER ROLL


CFH104 = 980pcs / CFH108 = 890pcs / CFH109 = 890pcs



HARDWARE ITEMS (ACCESSORIES)

CFH110 - Fixed Panel Blocks (Left & Right)





CFH111 - Sliding Panel Face Blocks (Left & Right)

| QTY | Colour |
|--------------|--------|
| 10pr per bag | Black |



CFH38D - 80kg Double Wheel Roller

QTY Colour

EACH





(2 per moving sash)

(2 per moving sash)

QTY Colour

EACH





QTY Colour

EACH

HARDWARE ITEMS (ACCESSORIES)





| QTY | Colour |
|------|--------|
| EACH | Black |



CFH99 - Slimline Sliding Door Handle

CFH98 - D Lock Sliding Door Handle


| QTY | Colour |
|------|--------|
| EACH | Black |




CFH123 - Packer


| QTY | Colour |
|------|--------|
| EACH | Black |

NOTES






CENTRE GLAZE COMMERCIAL SYSTEMS



The most widely used commercial framing system, which allows for true versatility and ideal for most commercial and residential applications.



BW400 - Standard Frame

(Accepts: CF404, CF405, CF406, CF407, CF432, CF444, CF451)

(Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


BW402 - Standard Sill

(Accepts: CF403, CF405, CF406, CF404, CF444)

(Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF403 - Sill Bead

(Accepts: CF402, CF434)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF403B - Sloping Sill Bead

(Accepts: CF402 & CF434)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF405 - Flat Filler

(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



BW401 - Heavy Frame

(Accepts: CF404, CF405, CF406, CF407, CF432, CF444, CF451)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF472 - Heavy Transom

(Accepts: CF403, CF403B, CF406)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

BW444 - Heavy Duty Adapter


(Accepts: CF400, CF401, CF406, CF407, CF418, CF434)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

BW404 - Glazing Adapter

(Accepts: CF400, CF401, CF406, CF407, CF418, CF434)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




90.8

BW436 - Narrow Jamb

(Accepts: CF402, CF434)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |





CF450 - 33mm Std Main Frame (101.6 x 33)


(Accepts: CF405, CF406, CF407, CF416, CF432, CF433, CF470)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated




















BW427 - Self Mating Mullion

(Accepts: CF406, CF407) (Accepts: CFH5 Mullion Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

CF428 - HD Mating Mullion

(Accepts: CF406, CF407) (Accepts: CFH5 Mullion Seal)

Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr

CF423 - COC Closer transom

(Accepts: CF425, CF414 - Ideal for pivot doors)

Offered Finishes Length 6.5mtr Mill / Natural Anodised / Powdercoated

CF425 - Flush Filler

(Accepts: CF423)

Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr

CF470 - Back to Back Adaptor (Coupler Bar)

(Accepts: 101.6mm Frames/Sills)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr


CF406 - Pocket Filler


(Accepts: CF400, CF400B, CF401, CF404, CF444, CF418, CF436,


CF427, CF428, CF601, CF627)


Offered Finishes Length


Mill / Natural Anodised / Powdercoated 6.5mtr














CF407 - 45mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF432 - 35mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF433 - 40mm Dooor Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF416 - 35mm Sash Stop

(Accepts: BW400, BW401, BW404, BW444)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF7124 - Acoustic Sash Stop

(Accepts: BW400, BW401, BW404, BW444)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


CF4516 - 50mm Sash Stop


(Accepts: BW400, BW401, BW404, BW444)


(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated








150.8

89.2



CF467 - Winder Support for 50mm Sash

NEW

(Accepts: 50mm Awning Sash)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF466 - Winder Support for 35mm Sash



(Accepts: 35mm Awning Sash)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF451 - Fixing/Reveal Adaptor

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF471 - Fixing Adaptor

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF484 - Fixing/Reveal Adaptor 30/70



(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


CF485 - Fixing/Reveal Adaptor 40/60



(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



45.6 35.4

CF486 - Fixing/Reveal Adaptor 50/50

NEW

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF473 - Fixing Adaptor (External plaster trim)



(Accepts: 101.6mm Frames)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


CF488 - Fixing Adaptor (Plaster Return)





(Accepts: 101.6mm Frames)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

















CF8131 - Plain Frame

(Accepts: CF405, BW404, BW444, CF470, CF483, CF704, CF704L)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated


BW418 - Corner Post

(Accepts: CF405, BW404, BW444, CF470, CF483, CF704, CF704L)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)








44.4



90.8







CF701 - DG Standard Frame

(Accepts: CF405, CF404, CF444, CF706, CF707, CF716, CF717, CF704)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF702 - DG Sill

(Accepts: CF405, CF404, CF444, CF704, CF703)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF703 - DG Sill Bead

(Accepts: CF702)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF704 - DG Glazing Adaptor

(Accepts: CF701, CF706, CF707, CF716, CF717)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF706 - DG Pocket Filler

(Accepts: CF701, CF701L, CF704, CF704L, CF727, CF772)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


CF707 - DG Door Stop (45mm Door)

(Accepts: CF701, CF701L, CF704, CF704L, CF727, CF772)

(Accepts: CFH4 & CFH11)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



CF701L - DG 50mm Frame

(Accepts: CF405, BW404, BW444, CF706, CF707, CF716, CF717, CF704L)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


CF702L - DG 50mm Sill

(Accepts: CF405, BW404, BW444, CF704L, CF703L)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF703L - DG 50mm Sill Bead



(Accepts: CF702L)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF704L - DG 50mm Glazing Adaptor

(Accepts: CF701L, CF702L, CF706, CF716, CF717)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CF716 - DG 35mm Sash Stop

(Accepts: CF701, CF701L, CF704, CF704L)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF717 - DG 50mm Sash Stop


(Accepts: CF701, CF701L, CF704, CF704L)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



CF727 - DG Self Mating Mullion (50mm)

(Accepts: CF706, CF707, CF716, CF717, CF727)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF728 - DG HD Self Mating Mullion (44.4mm)

(Accepts: CF706, CF707, CF716, CF717, CF728)

(Accepts: CFH5 Mullion Seal)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF772 - DG HD Transom


(Accepts: CF703, CF706, CF716, CF717)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF718 - DG Corner Post/Coupler


(Accepts: CF405, BW404, BW444, CF706, CF707, CF704)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |






750 SERIES CENTRE GLAZE - 50mm DOUBLE GLAZE (101.6mm FRAME)





101.6





CF751 - DG 50mm Pocket Frame

(Accepts: CF405, CF404, CF444, CF704, CF754)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF752 - DG 50mm Pocket Sill

(Accepts: CF405, CF404, CF444, CF703)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF754 - DG 50mm Pocket Glazing Adaptor

(Accepts: CF751, CF752)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF753 - DG 50mm Pocket Sill Bead

(Accepts: CF752)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF7528 - DG 50mm Pocket Self Mating Mullion

(Accepts: CF7528)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF405 - Flat Filler


(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

100mm FRONT GLAZE COMMERCIAL SUITE (100mm x 50mm FRAME)

SUBHEAD OPTIONS



CF437 - Standard Subhead (110mm x 49mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF458 - 2 Piece Subhead (115mm x 50mm)

(Accepts: CF457)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF477 - HD Subhead (113mm x 40mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

SUBSILL OPTIONS


30.0

CF430 - 113mm Slotted Subsill (5.2mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF420 - 120mm Slotted Subsill (12mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF420HD - 120mm HD Slotted Subsill (12mm SB)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF431R - 131mm Slotted Subsill (23mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF462 - 144mm Slotted Subsill (36mm setback)


30.0 (Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

SUBSILL OPTIONS





400/700 SERIES THRESHOLDS (101.6mm FRAME)

DOOR SILL & THRESHOLD OPTIONS

CF438 - Standard Threshold

(Suitable for 101.6mm Frames)






39.8 76.2 49.1 OF

CF439 - Open Out Threshold

(Accepts: CFH4, CF405 & Suitable for 101.6mm Frames)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF468 - Disabled Threshold

(Suitable for 101.6mm Frames)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF469 - Incline Wheelchair Threshold

(Suitable for 101.6mm Frames)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CF478 - Low Profile Threshold


(Suitable for 101.6mm Frames)


| Length | Offered Finishes |
|--------|--|
| 4.0mtr | Mill / Natural Anodised / Powdercoated |


400 SERIES GLAZING DETAIL




700 SERIES GLAZING DETAIL (101.6mm FRAME)










BW601 - SG 150mm Frame

(Accepts: BW404, BW444, CF405, CF406, CF607, CF616, CF704)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




BW602 - SG 150mm Sill

(Accepts: BW404, BW444, CF405, CF704)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF603 - 150mm Sill Bead

(Accepts: CF602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




BW404 - Glazing Adapter

(Accepts: BW601, BW602, CF406, CF607, CF616, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



BW444 - HD Adapter

(Accepts: BW601, BW602, CF406, CF607, CF616, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF405 - Flat Filler

(Accepts: BW601, BW602, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF685 - 150mm Plain Frame

(Accepts: RA265 Flat Filler)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




BW627 - 150mm Self Mating Mullion

(Accepts: CF406, CF607, CF616, CF627)

(Accepts: CFH5 Mullion Seal)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF429 - Plant On Door Stop



(Accepts: CFH4 & CFH11)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF607 - 45mm Door Stop

34.0

(Accepts: CFH4 & CFH11)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF616 - 35mm Sash Stop

(Accepts: CFH13 & CFH13D)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF406 - Pocket Filler

(Accepts: BW601, BW627)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




DG601 - 150mm DG Frame

(Accepts: BW404, BW444, CF405, CF704, CF706)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG602 - 150mm DG Sill

(Accepts: BW404, BW444, CF405, CF704, DG603)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG603 - 150mm Sill Bead

(Accepts: DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG627 - 150mm DG Self Mating Mullion

(Accepts: CF704, CF706, DG627)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF704 - DG Glazing Adaptor

(Accepts: BW601, BW602, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF706 - DG Pocket Filler

(Accepts: DG601, DG602, DG627)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

SUBHEAD, SUBSILL & THRESHOLD OPTIONS




CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF658 - 150mm Subhead 2 Piece

(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH5 Mullion Seal)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CF457 - 2 Piece Subhead Cover (Pressure Bead)

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF630 - 150mm Subsill

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF669 - 150mm Incline Wheelchair Threshold

Suits 150mm frame & inserts to CF630 Subsill

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated


600 SERIES GLAZING DETAIL (150mm FRAME)





^{***}Please note: Images are not to scale***


300 SERIES CENTRE GLAZE ARCADE SUITE (76mm x 35mm FRAME)














CF301 - 76mm Frame

(Accepts: CF305, CF306, CF307, CF316, CF332)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF302 - 76mm Sill

(Accepts: CF303, CF304, CF306)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF303 - 76mm Sill Bead

(Accepts: CF302) (Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF304 - Glazing Adapter

(Accepts: CF301, CF302, CF318)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF305 - Flat Filler

(Accepts: CF301, CF302, CF318)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated


CF306 - Pocket Filler


(Accepts: CF301, CF302, CF304, CF318)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated











CF332 - 35mm Door Stop

(Accepts: CF301, CF304, CF318) (Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF307 - 45mm Door Stop

(Accepts: CF301, CF304, CF318) (Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF316 - 35mm Sash Stop

(Accepts: CF301, CF304, CF318)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF318 - 76mm Corner Post


(Accepts: CF304, CF305, CF306, CF307, CF316)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


SUBHEAD, SUBSILL & FIXING OPTIONS



CF351 - Fixing/Reveal Adaptor

(Accepts: CF301, CF302)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF330 - Slotted Subsill

(Accepts: 76mm Frames) (Accepts: CFH13 & CFH13D)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |





CF337 - Subhead

(Accepts: 76mm Frames)

(Accepts: CFH24)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |






DG311 - DG 76mm Frame

(Accepts: DG314, DG315, DG317, DG318, CF305)

(Accepts: CFH014)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



DG312 - DG 76mm Sill

(Accepts: DG313, DG314, CF305)

(Accepts: CFH014)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr



DG313 - DG 76mm Sill Bead

(Accepts: DG302)

(Accepts: CFH014)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated



DG314 - DG 76mm Glazing Adaptor

(Accepts: DG311, DG312)

(Accepts: CFH014)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



DG315 - DG 76mm Pocket Filler

(Accepts: DG311, DG312, DG314)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated




CF305 - 76mm Flat Filler

(Accepts: DG311, DG312, CF301, CF302, CF318)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr





DG316 - 35mm Door Stop


(Accepts: DG311, DG314) (Accepts: CFH4 & CFH11)



Length

Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG317 - 45mm Door Stop


(Accepts: DG311, DG314) (Accepts: CFH4 & CFH11)



Length

n Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG318 - 35mm Sash Stop




(Accepts: DG311, DG314)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

300 SERIES ARCADE SUITE GLAZING DETAIL (76mm FRAME)


6mm GLASS




8mm GLASS




10mm GLASS





20mm GLASS




NOTES








The popular Front Glaze System,
Unmatched maximum design
capabilities intended to give you a
modern but clean exterior
appearance. Strength and design
requirements will be met with both
flexibility and uniformity. Available
in both single and double glazed
including 100mm and 150mm
frame depths.














CF101CW - STD Frame

(Accepts: CF106, CF107, CF116, CF156, CF405)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF102CW - Sill/Transom (External Glazing)

(Accepts: CF103, CF105, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF104 - Sill/Transom Bead (External)



(Accepts: CF102CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF105 - Flat Filler

(Accepts: CF102CW, CF114CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF106 - Pocket Filler

(Accepts: CF101CW, CF102CW, CF108CW, CF114CW, CF127CW, CF128CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


CF107 - 45mm Door Stop

(Accepts: All SG FG glazing pockets)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF108CW - Sill/Transom (Internal Glazing)

(Accepts: CF106, CF109CW)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF109CW - Sill/Transom Bead (Internal Glazing)

(Accepts: CF108CW) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF110CW - Cover Transom (External Glazing)

(Accepts: CF106, CF111) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF111 - Cover Bead

(Accepts: CF103, CF105, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

<u>Length</u> Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF114CW - Mullion (Open Box)

(Accepts: CF105, CF106) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF113 - Structural Self Mating Mullion


(Accepts: CF113)


(Accepts: CFH5 Mullion Seal)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated














CF156 - 50mm Sash Stop

(Accepts: CF101CW, CF102CW, CF108CW, CF110CW, CF114CW)

(Accepts: CFH13)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF116 - 35mm Sash Stop

(Accepts: CF101CW, CF102CW, CF108CW, CF110CW, CF114CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF125 - Structural Female Split Mullion

(Accepts: CF126)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF126 - Structural Male Split Mullion

(Accepts: CF125)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF128CW - Male Split Mullion

(Accepts: CF127CW, CF117)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


CF127CW - Female Split Mullion

(Accepts: CF128CW, CF117)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF117 - 100mm Splice Bar

(Accepts: CF127CW & CF128CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF405 - Flat Filler

(Accepts: CF101CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated





CF112 - Structural Transom

(Accepts: CF105)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated






56.0



21.5



DG101 - DG Frame 100mm x 50mm

(Accepts: CF405, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

DG106 - Pocket Filler

(Accepts: DG101, DG108, DG110, DG114, DG127, DG128, DG122, DG123, DG161, DG162, DG163, DG164, DG167, DG168, DG169, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

DG108 - DG Internal Transom

(Accepts: DG106, DG107, DG109, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

DG109 - DG Internal Transom Bead

(Accepts: DG108) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

DG112 - DG Boxed Sill/Transom

(Accepts: DG106, DG113, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

DG113 - DG FG External Bead

(Accepts: DG112, DG172)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


DG114 - DG Head/Jamb Transom

(Accepts: DG105, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG127 - DG Female Split Mullion

(Accepts: DG128)

(Accepts: CFH015 & CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG128 - DG Male Split Mullion

(Accepts: DG127)

(Accepts: CFH015 & CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG110 - DG Cover Transom


(Accepts: CF111, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF111 - Cover Bead



(Accepts: CF110CW, CF171CW, DG110, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


DG105 - DG Internal Flat Filler



(Accepts: DG114)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG116 - DG 35mm Sash Stop

Fits most Front Glazed Double Glazed Pockets

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

DG156 - DG 50mm Sash Stop Fits most Front Glazed Double Glazed

Fits most Front Glazed Double Glazed Pockets (Accepts: CFH13)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



DG107 - DG 45mm Door Stop


Fits most Front Glazed Double Glazed Pockets

(Accepts: CFH4 & CFH11)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



SUBHEAD OPTIONS



CF437 - Standard Subhead (110mm x 49mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF458 - 2 Piece Subhead (115mm x 50mm)

(Accepts: CF457)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

50.0


15.5

CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated




CF477 - Heavy Duty Subhead (113mm x 40mm)

(Accepts CFH13 & CFH13D)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



SUBSILL OPTIONS




CF430 - 113mm Slotted Subsill (5.2mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF420 - 120mm Slotted Subsill (12mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF420HD - 120mm HD Slotted Subsill (12mm SB)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF431R - 131mm Slotted Subsill (23mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF462 - 144mm Slotted Subsill (36mm setback)


30.0 (Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

SUBSILL OPTIONS




CF462N - 148mm Slotted Subsill (36mm setback)

(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF463N - 154mm Slotted Subsill (12mm setback)



(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

DOOR SILL & THRESHOLD OPTIONS

CF438 - Standard Threshold

(Suitable for 101.6mm Frames)






CF439 - Open Out Threshold

39.8

(Accepts: CFH4, CF405 & Suitable for 101.6mm Frames)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


CF468 - Disabled Threshold



(Suitable for 101.6mm Frames)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


CF469 - Incline Wheelchair Threshold



(Suitable for 101.6mm Frames)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF478 - Low Profile Threshold



(Suitable for 101.6mm Frames)

| Length | Offered Finishes |
|--------|--|
| 4.0mtr | Mill / Natural Anodised / Powdercoated |



CF161CW - 150mm Frame

(Accepts: CF106, CF107, CF116, CF156, RA265)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

RA265 - Flat Filler

(Accepts: CF161CW, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF162CW - Transom/Sill (External Glazing)

(Accepts: CF103, CF106, CF165)

(Accepts: CFH015)

| Length | Offered Finishes |
|--------|--|
| 6 Emtr | Mill / Natural Anadisad / Powdercoated |

CF104 - External Glazing Bead



(Accepts: CF102CW, CF162CW)

| Length Offered Finishes | Lengt | h C |) † | Ĭ | ered | | Finishes | |
|-------------------------|-------|-----|------------|---|------|--|----------|--|
|-------------------------|-------|-----|------------|---|------|--|----------|--|

6.5mtr Mill / Natural Anodised / Powdercoated



CF164CW - Head/Jamb Transom

(Accepts: CF106, CF165)

(Accepts: CFH015)

| .ength | Offered Finishes |
|--------|------------------|
|--------|------------------|

6.5mtr Mill / Natural Anodised / Powdercoated




CF165 - 150mm Internal Filler

(Accepts: CF162CW, CF164CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF106 - SG Pocket Filler

(Accepts: Most Front Glaze Single Glaze Pockets)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF173CW - 150mm SG Female Mullion

(Accepts: CF106, CF107, CF116, CF156, CF174CW,)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF174CW - 150mm SG Male Mullion

(Accepts: CF106, CF107, CF116, CF156, CF173CW,)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF169CW - 150mm Internal Transom

(Accepts: CF106, CF170CW))

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF170CW - 150mm Internal Glazing Bead

(Accepts: CF169CW) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF175 - 150mm Female Structural Mullion

(Accepts: CF176)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF176 - 150mm Male Structural Split Mullion

(Accepts: CF175)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF171CW - 150mm Cover Transom

(Accepts: CF106, CF111) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF111 - Cover Bead

(Accepts: CF171CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF177 - 150mm Splice Bar

(Accepts: CF167CW/CF168CW, CF175/CF176)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF685 - 150mm Plain Frame

(Accepts: RA265

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF107 - 45mm Door Stop

(Accepts: CF176)

(Accepts: CFH4 & CFH11)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF156 - 50mm Sash Stop

(Accepts: CFH13 & Accepts most SG Front Glaze pockets)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF116 - 35mm Sash Stop

(Accepts: CFH13 & Accepts most SG Front Glaze pockets)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



DG161 - 150mm DG Frame

(Accepts: DG105, DG107, DG116, DG156, DG201, RA265)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


DG164 - 150mm DG Mullion (One Piece)

(Accepts: CF405, DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG172 - 150mm DG Transom (External Bead)

(Accepts: DG106, DG113, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

DG113 - DG FG External Bead

(Accepts: DG172) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG168 - 150mm DG Male Split Mullion

(Accepts: DG105, DG107, DG116, DG156, DG201, FB055)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG167 - 150mm DG Female Split Mullion

(Accepts: DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated




RA265 - Flat Filler

(Accepts: CF161CW, CF685, DG161, RA261, RA271)
Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated








(Accepts: DG105, DG107, DG116, DG156, DG170, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG170 - 150mm DG Internal Glazing Bead

(Accepts: DG169) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG171 - 150mm DG Cover Transom (Face Bead)

(Accepts: CF111, DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF111 - Cover Bead

(Accepts: CF110CW, CF171CW, DG171)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



DG201 - DG Pocket Infill (Create SG Pocket)

(Accepts: CFH015) Suits 100mm & 150mm DG Pockets

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




DG106 - Pocket Filler

(Accepts: DG101, DG108, DG110, DG114, DG127, DG128, DG122, DG123, DG161, DG162, DG163, DG164, DG167, DG168, DG169, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




DG116 - 35mm Sash Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG156 - 50mm Sash Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

(Accepts: CFH13)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



DG107 - 45mm Door Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

(Accepts: CFH4 & CFH11)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

600 SERIES CENTRE GLAZE (150mm FRAME)

SUBHEAD, SUBSILL & THRESHOLD OPTIONS

CF637 - 150mm Subhead






Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH5 Mullion Seal)




| Length | Offered Finishes |
|--------|------------------|
| | |

CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)


6.5mtr



| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

Mill / Natural Anodised / Powdercoated

CF630 - 150mm Subsill




(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr unodised / Powdercoated

CF669 - 150mm Incline Wheelchair Threshold





Suits 150mm frame & inserts to CF630 Subsill


Length Offered Finishes

6.5mtr Inodised / Powdercoated


FRONT GLAZE SYSTEM GLAZING DETAIL








This particular system is aesthetically sought after for most medium rise and shopfront use with its clean and modern external appearance. Glazing & Design features nearly flush with the outside face leaving as little of the aluminium profiles visibility externally. The flush glaze system can also be used as a curtain wall due to its design strength properties. Single and double glazed options along with 103mm and 150mm frame depths.








103.6

- 90.2 -



CF241 - SG Standard Frame

(Accepts: CF244, CF243, CF256, CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF242 - SG Jamb/Pocketed Frame

(Accepts: CF244, CF243, CF256, CF405, CF406)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF405 - Flat Filler

(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF483 - HD Flat Filler with Screw Flutes

(Accepts: CF241, CF242, CF251)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF246 - SG Male Split Mullion

(Accepts: CF247, CF244, CF243, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

CF247 - Female Split Mullion

(Accepts: CF246)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF252 - Self Mating Mullion

(Accepts: CF244, CF243, CF256) (Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF259 - SG HD Male Mullion

(Accepts: CF244, CF243, CF252, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF291 - SG Box Transom

(Accepts: CF244, CF243, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF289 - DG HD Male Mullion

(Accepts: CF243, CF252, CF254, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF251 - DG Standard Frame

(Accepts: CF243, CF254, CF256, CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF290 - DG Box Transom

(Accepts: CF243, CF254, CF256)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated




(Accepts: CF252, CF259, CF289) (Accepts: CFH5 Mullion Seal)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated









CF248 - Structural Male Mullion

(Accepts: CF249)

(Accepts: CFH5 Mullion Seal)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF249 - Structural Female Mullion


(Accepts: CF248)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF292 - Spandrel Adaptor

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

FLUSH GLAZE SUITE - SUBSILL & SUBHEAD OPTIONS (100mm FRAME)




CF261 - SG Flush Glaze Subhead

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




CF480 - 2 Piece Flush Glaze Subhead

(Accepts: CF457)

(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr




CF457 - 2 Piece Subhead Cover (Pressure Bead)

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




CF277 - DG Flush Glaze Subhead

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




CF462N - SG Flush Glaze Slotted Subsill

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




CF479 - DG Flush Glaze Slotted Subsill

(Accepts: 100mm Flush Glaze Frames)

(Accepts: CFH13 & CFH13D Bulb Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



RA261 - 150mm Frame

(Accepts: CF244, CF243, CF256, RA265)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA265 - Flat Filler

(Accepts: CF161CW, CF685, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA262 - SG Box Transom

(Accepts: CF244, CF243, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RA266 - 150mm Female Split Mullion

(Accepts: RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA267 - 150mm Male Split Mullion

(Accepts: RA266)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA271 - 150mm DG Frame

(Accepts: CF243, CF254, CF256, RA265)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RA272 - DG Box Transom

(Accepts: CF243, CF254, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RA276 - 150mm DG Female Split Mullion

(Accepts: CF243, CF254, CF256, RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA268 - 150mm Blind Female Split Mullion

32.6 (Accepts: RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF652 - 150mm Self Mating Mullion

(Accepts: CF652)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

FLUSH GLAZE SUITE - SUBSILL & SUBHEAD OPTIONS (150mm FRAME)




RA278 - DG Flush Glaze Slotted Subsill

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA279 - SG Flush Glaze Slotted Subsill

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




RA280 - SG Flush Glaze Subhead

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



RA281 - DG Flush Glaze Subhead

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF685 - 150mm Plain Frame

(Accepts: RA265 Flat Filler)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

FLUSH GLAZE SUITE - SNAP ON COVERS & STOPS




CF243 - 16mm Snap Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



CF244 - 16mm Snap Return Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF256 - 20mm Snap Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF257 - 20mm Snap Return Cover

(Accepts: CF251, CF289, CF290, RA271, RA272, RA276)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF254 - 16mm DG Return Cover

(Accepts: CF251, CF289, CF290, RA271, RA272, RA276)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CF253 - DG Adaptor


(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

FLUSH GLAZE SUITE - GLAZING BASES & STOPS

CF250 - Plant On Base






| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


CF260 - DG Plant On Base

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

FLUSH GLAZE COMMERCIAL SUITE GLAZING & CAPPING DETAIL




NOTES






INSERTIONS: NESTED FRAMES, SEALS &





- 1. Awning/Casement Sashes
- 2. Commercial Doors
- 3. Commercial Fixed Louvres
- Hardware, Components,
 Gaskets & Seals


INSERTIONS: AWNING/CASEMENT SASHES


35mm AWNING/CASEMENT SASHES (SG & DG)














CF415 - 35mm Grooved Awning Sash

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF415B - 35mm Flat Awning Sash

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF417 - Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF016 - DG Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF475 - 35mm Grooved Awning Sash with Hinge

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF475B - 35mm Flat Awning Sash with Hinge

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated


INSERTIONS: AWNING/CASEMENT SASHES

35mm AWNING/CASEMENT SASHES

CF460H - Sash Hinge







CF435 - 35mm Sloping Awning Sash (SG only)

(Accepts: CF414)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF414 - Sash Bead

(Accepts: CF435)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CFH3 - 35mm Corner Stake

(Accepts: CF415, CF415B, CF435, CF475, CF475B)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

INSERTIONS: AWNING/CASEMENT SASHES

50mm AWNING/CASEMENT SASHES (SG & DG)



CF4515 - 50mm Awning Sash


(Accepts: CF016, CF417, CF4517)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH50 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF4517 - 50mm Sash Bead




(Accepts: CF4515)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

CF417 - Sash Bead



(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


19.2

CF016 - DG Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CFH50 - 50mm Corner Stake

(Accepts: CF4515)


Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


Awning Sash Guides & Drawings

35mm SASH


6mm GLASS




8mm GLASS




10mm GLASS



6/12/6mm GLASS




6/12/6mm GLASS




50mm SASH


6mm GLASS




10mm GLASS




5/8/5mm GLASS




5/10/5mm GLASS



6/12/6mm GLASS





Awning Sash Guides & Drawings




900 SERIES DOOR: SINGLE GLAZE 73mm X 44mm (accepts CFH6 spigot) 14.5mm glazing pocket = up to 10.38 glass

72.9 18.8 44.5





85.9



CF907 - SG Plain Stile

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF908 - SG Sliding Stile

(Accepts: CFH12 Black/Grey Schlegel)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF909 - SG Hinge Stile

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF910 - SG Lock Stile

(Accepts: CFH12 Black/Grey Schlegel)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF911 - SG Meeting Stile (1 piece)

(Accepts: CFH24 Black/Grey Schlegel)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF912 - Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


900 SERIES DOOR: SINGLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 14.5mm glazing pocket = up to 10.38 glass



CF001 - SG Wide Sliding Door Stile


(Accepts: CFH12 Black/Grey Schlegel)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF002 - SG Wide Hinge Stile


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF003 - SG Wide Lock Stile

(Accepts: CFH12 Black/Grey Schlegel)

| Lengui | Offered Fillisties |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CF004 - SG Wide Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


CF005 - SG Wide Plain Stile



| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

900 SERIES COMMERCIAL DOOR RAILS (SINGLE GLAZED)


ACCEPTS CFH6 SPIGOT



CF411 - SG Top Rail

(Accepts: CF414)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF412 - SG Bottom Rail

(Accepts: CF414)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF413 - SG 123mm Mid Rail

(Accepts: CF414)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |



CF414 - SG Door Rail Bead

(Accepts: CF411, CF412, CF413, CF426)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |




CF426 - SG 45mm Mid Rail

(Accepts: CF414)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


900 SERIES DOOR: DOUBLE GLAZE 73mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)




72.9











CF917 - DG Plain Stile

(Accepts: CFH016 Captive Wedge)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF918 - DG Sliding Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF919 - DG Hinge Stile

(Accepts: CFH016 Captive Wedge)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF920 - DG Lock Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF921 - DG Meeting Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF922 - DG Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |


900 SERIES DOOR: DOUBLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)

114.3

CF021 - DG Wide Sliding Door Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |




19.4

JURY.

CF022 - DG Wide Hinge Stile

(Accepts: CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |




44.5

CF023 - DG Wide Lock Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)


| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |



CF024 - DG Wide Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |




CF025 - DG Wide Plain Stile

(Accepts: CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |

900 SERIES DOOR: DOUBLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)



CF931 - DG Top Rail

(Accepts: SF061 & CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |

93.8 42.0

116.0

CF932 - DG Bottom Rail

(Accepts: SF061 & CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |

CF933 - DG Mid Rail

(Accepts: SF061 & CFH016 Captive Wedge)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |


22.2

SF061 - DG Door Rail Bead

(Accepts: CF931, CF932, CF933 & CFH016 Captive Wedge)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


900 SERIES DOOR: SINGLE/DOUBLE GLAZE SPIGOT OPTIONS (1 door = 4 each)



CFH6 - 900 Series Spigot

(Accepts: ALL 900 series Door Stiles & Rails)


| Unit | Offered Finishes |
|---------------------|------------------|
| Each or bags of 100 | Mill finish only |




CFH43 - Heavy Duty Spigot with Back Plate


(Accepts: DG 900 Series Door Stiles & Rails ONLY)


| Unit | Offered Finishes |
|---------------------|------------------|
| Each or bags of 100 | Mill finish only |




DOOR MISCELLANEOUS: TRACKS, GUIDES & ATTACHEMENTS














CF421 - Sliding Door Track Insert

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF422 - Door Floor Guide

(Accepts: CFH16)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF424 - Sliding Door Guide

(Accepts: CFH16)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF429 - Plant On Door Stop

(Accepts: CFH4 Door Stop Rubber)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF441 - Sliding Stile Interlock

(Accepts: CFH4 Door Stop Rubber)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF446 - Sliding Guide/Reciever

(Accepts: CFH16)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

CF447 - Guide/Reciever Cover

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

DOOR MISCELLANEOUS: TRACKS, GUIDES & ATTACHEMENTS



CF445 - Single track

(Accepts: CFH445 Bottom Roller)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF449 - Plant On Door Stop

(Accepts: CFH4 Door Stop Rubber)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF455 - Meeting Stile Adaptor

(Accepts: Lock & Pivot Stile Pile Groove & CFH24)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




CF461 - Top Track (MAX 150kg load)

(Accepts: CFH19 Roller)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CF453 -114mm Overhead Track

(Accepts: CF454 & CFH16)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

CF454 - Overhead Track Pelmet

(Accepts: CF453 & CFH16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



CFH453EC - End Cap

(Accepts: CF454)


Length Offered Finishes

Pair = 2 Mill / Powdercoated Silver

Please note: Images are not to scale

www.rapidal.com.au

900 SERIES DOOR GLAZING GUIDE




www.rapidal.com.au

GLAZING CHANNELS


Offered Finishes: Mill / Natural Anodised or Powdercoated


| PART No. | LENGTH | DESCRIPTION |
|----------|--------|--|
| CF015 | 6.5 | 19mm pocket after the bead is fitted |
| CF016 | 6.5 | 19.2 |
| CF017 | 6.5 | 24 |
| CF018 | 6.5 | 44mm pocket after CF016 is fitted 25mm pocket after CF417 is fitted 50 |
| CF417 | 6.5 | 19.2 |





INSERTIONS: COMMERCIAL FIXED LOUVRES


COMMERCIAL FIXED LOUVRES














73.6

LV001 - 50mm Louvre

(Accepts: LF001) **RECOMMENDED MAX SPAN = 1200mm** Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr

LF001 - 50mm Louvre frame

(Accepts: LV001)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

LV050 - 50mm Louvre

| (Accepts: LV051) | RECOMMENDED MAX SPAN = 1400mm |
|------------------|---------------------------------------|
| Length | Offered Finishes |
| 6.5mtr M | ill / Natural Anodised / Powdercoated |

LV051 - 50mm Louvre Frame

(Accepts: LV050)

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

LV7061 - 76mm Clip on Louvre

| (Accepts: LV7049) | RECOMMENDED MAX SPAN = 2000mm |
|-------------------|-------------------------------------|
| Length | Offered Finishes |
| 6.5mtr Mil | l / Natural Anodised / Powdercoated |

LV7049 - Louvre Clip

(Accepts: LV7061)

| | Length | Offered Finishes | |
|--------|--------|--|--|
| 6.5mtr | | Mill / Natural Anodised / Powdercoated | |
| | | | |

INSERTIONS: COMMERCIAL FIXED LOUVRES

76.2 95.0 101.6 76.2 25.4 90.8 109.8

50.0

42.8

COMMERCIAL FIXED LOUVRES

LV9517 - Sub Station Louvre

RECOMMENDED MAX SPAN = 2000mm

| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

LF436 - Narrow frame

(Accepts: CF405)

| Length | Offered Finishes | |
|--------|--|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated | |

LV100 - 100mm Louvre


| (Accepts: LV101 | RECOMMENDED MAX SPAN = 2000mm |
|-----------------|--|
| Length | Offered Finishes |
| 6.5mtr | Mill / Natural Anodised / Powdercoated |

LV101 - 100mm Louvre Frame

(Accepts: LV100)


| Length | Offered Finishes |
|--------|--|
| 6.5mtr | Mill / Natural Anodised / Powdercoated |


A RANGE OF ELIPTICAL LOUVRES ALSO AVAILABLE ON REQUEST





GLAZING WEDGES (SOFT - ROLL-IN)

CFH006 - 6mm Shopfront Wedge









| Length | Colour |
|--------|--------|
| 200mtr | Black |

CFH007 - 6mm FG Shopfront Wedge

| Length | Colour |
|--------|--------|
| 200mtr | Black |

CFH008 - 8mm Shopfront Wedge

| Length | Colour |
|--------|--------|
| 250mtr | Black |


CFH009 - 6mm Front Glaze Roll-in Wedge

| Length | Colour |
|--------|--------|
| 100mtr | Black |


CFH010 - 10mm Shopfront Wedge


| Length | Colour |
|--------|--------|
| 500mtr | Black |

GLAZING WEDGES (CAPTIVE)



9.5-9.6





CFH012 - Co-Ex Captive Wedge

(Clear/White Backing)

| Length | Colour |
|--------|--------|
| 150mtr | Black |

CFH014 - 300 Series Co-Ex Captive Wedge

(Black Backing)

| Length | Colour |
|--------|--------|
| 150mtr | Black |

CFH015 - Front Glaze Co-Ex Captive Wedge

(Yellow Backing)

| Length | Colour |
|--------|--------|
| 100mtr | Black |

CFH016 - DG Door captive Wedge


(Green Backing)


| Length | Colour |
|--------|--------|
| 150mtr | Black |


CFH017 -- Front Glaze Co-Ex Captive


(Blue Backing)

| Length | Colour |
|--------|--------|
| 100mtr | Black |









SEALS

CFH4 - Door Stop Rubber

(Accepts: CF107, CF307, CF332, CF407, CF429, CF432, CF433, CF607, CF707, DG107, DG316, DG317)

| Length | Colour |
|--------|--------|
| 200mtr | Black |

CFH5 - Mullion Seal

(Accepts: CF113, CF128CW, CF174, CF175, CF246, CF252, CF259, CF289, CF427, CF428, CF727, CF728, CF7528, DG128, DG168,

| Length | Colour |
|--------|--------|
| 200mtr | Black |

CFH13 - Sash Seal

(Accepts: CF330, CF415, CF430, CF431, CF435, CF437, CF443, CF452, CF457, CF458, CF459, CF462, CF465, CF630, CF7124)

| Length | Colour |
|--------|--------|
| 250mtr | Black |

CFH13D - Co-Ex Seal (Hard Backed)

(Accepts: CF330, CF415, CF430, CF431, CF435, CF437, CF443, CF452, CF457, CF458, CF459, CF462, CF465, CF630, CF7124)

| Length | Colour |
|--------|--------|
| 250mtr | Black |

CFH56 - Partitioning Door Stop Seal

(Accepts: All Rapid Partitioning Door Stops)

| Length | Colour |
|--------|--------|
| 150mtr | Black |





CFH11 - 9mm Wool Pile Seal (NO FIN)

(Accepts: CF107, CF307, CF332, CF407, CF429, CF432, CF433, CF607, CF707, DG107, DG316, DG317)

| Length | Colour |
|-------------------|---------------|
| 150mtr or per mtr | Black or Grey |



CFH12 - 13mm Wool Pile Stile Seal (NO FIN)

(Accepts: CF001, CF003, CF004, CF908, CF910, CF912, CF918, CF920, CF922)

| Length | Colour |
|-------------------|---------------|
| 500mtr or per mtr | Black or Grey |



CFH16 - 6.9mm Wool Pile (NO FIN)

(Accepts: Apartment Door, Semi-Commercial Door, Sliding Window & Rapid Partitioning door stops)

| Length | Colour |
|-------------------|---------------|
| 325mtr or per mtr | Black or Grey |



CFH24 - 4.8mm Wool Pile Seal (NO FIN)

(Accepts: CF337, CF437, CF455, CF457, CF458, CF911, CF921

| Length | Colour |
|-------------------|---------------|
| 750mtr or per mtr | Black or Grey |



CFH25 - Wool Pile Seal (WITH FIN)

(Accepts: RAD - 401, 402, 404, 601, 602, 604 / RSD - 501, 502, 503, 504, 505 / RSW - 301, 302, 401, 402, 403, 404)

| 301, 303 / 11311 | 301, 302, 101, 102, 103, 101, |
|------------------|-------------------------------|
| Length | Colour |
| 350mtr or per | mtr Black or Grey |



CFH19 - Top Roller

(Accepts: CF461)



CFH20 - Bottom Roller

(Accepts: C010 - 25 x 25 x 3mm Channel)

| QTY | OPTIONS |
|------|----------|
| Each | Standard |

CFH10 - Top Hung Door Roller (250kg)

(Accepts: CF453) To be used with 45mm Top Rail

| QTY | OPTIONS |
|------|---------------------------|
| Each | Standard (250kg Capacity) |

